

Date : 2024-03-28

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24C14-PTH02

Customer Identification : Australian Sandalwood - Australia - S20111R

Type : Essential Oil

Source : *Santalum spicatum*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

✖ISO

Results : See analysis summary (next page)

Analyst : Alexis St-Gelais, Ph. D., Chimiste 2013-174

Date : 2024-03-28

PHYSICOCHEMICAL DATA

Refractive index : 1.5063 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2024-03-14

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

| Identification | % | Class |
|-------------------------------------------------------------|------|----------------------|
| Santene | 0.08 | Normonoterpene |
| Tricyclene | 0.01 | Monoterpene |
| Limonene | 0.01 | Monoterpene |
| 4-Hydroxy-4-methylcyclohex-2-enone | 0.01 | Aliphatic alcohol |
| 4-Methylacetophenone | 0.01 | Simple phenolic |
| Unknown | 0.03 | Terpene derivative |
| Teresantalic acid | 0.19 | Monoterpenic acid |
| Unknown | 0.07 | Terpenic aldehyde |
| Tricycloekasantalal | 0.12 | Terpenic aldehyde |
| (1S,5S,6R)-2,6-Dimethylbicyclo[3.1.1]hept-2-ene-6-propanal? | 0.07 | Terpenic aldehyde |
| 7-epi-Sesquithujene | 0.02 | Sesquiterpene |
| γ -4-Dimethylbenzenebutyral | 0.02 | Simple phenolic |
| Sesquithujene | 0.06 | Sesquiterpene |
| α -Cedrene | 0.15 | Sesquiterpene |
| <i>cis</i> - α -Bergamotene | 0.05 | Sesquiterpene |
| β -Cedrene | 0.03 | Sesquiterpene |
| α -Santalene | 0.46 | Sesquiterpene |
| <i>trans</i> - α -Bergamotene | 0.17 | Sesquiterpene |
| Unknown | 0.01 | Sesquiterpene |
| epi- β -Santalene | 0.29 | Sesquiterpene |
| Geranylacetone | 0.05 | Monoterpenic ketone |
| α -Acoradiene | 0.08 | Sesquiterpene |
| β -Acoradiene | 0.01 | Sesquiterpene |
| β -Santalene | 0.47 | Sesquiterpene |
| (<i>E</i>)- β -Farnesene | 0.04 | Sesquiterpene |
| 10-epi- β -Acoradiene | 0.06 | Sesquiterpene |
| γ -Curcumene | 0.20 | Sesquiterpene |
| Unknown | 0.23 | Sesquiterpene |
| α -Curcumene | 0.43 | Sesquiterpene |
| β -Selinene | 0.05 | Sesquiterpene |
| Unknown | 0.05 | Sesquiterpene |
| Unknown | 0.18 | Sesquiterpene |
| Unknown | 0.02 | Sesquiterpene |
| β -Bisabolene | 0.14 | Sesquiterpene |
| α -Alaskene | 0.04 | Sesquiterpene |
| (3 <i>E</i> ,6 <i>E</i>)- α -Farnesene | 0.08 | Sesquiterpene |
| β -Curcumene | 0.46 | Sesquiterpene |
| Sesquicineole | 0.02 | Sesquiterpenic ether |
| β -Sesquiphellandrene | 0.15 | Sesquiterpene |

| | | |
|---------------------------------------|-------|--------------------------|
| 8,14-Cedranoxide | 0.06 | Sesquiterpenic ether |
| (E)- α -Bisabolene | 0.07 | Sesquiterpene |
| (E)-Nerolidol | 2.07 | Sesquiterpenic alcohol |
| Unknown | 0.04 | Oxygenated sesquiterpene |
| Unknown | 0.07 | Oxygenated sesquiterpene |
| Dendrolasin | 1.18 | Sesquiterpenic ether |
| Unknown | 0.03 | Oxygenated sesquiterpene |
| Helifolen-12-al A | 0.14 | Sesquiterpenic aldehyde |
| α -Cedrol | 0.14 | Sesquiterpenic alcohol |
| Guaiol | 0.26 | Sesquiterpenic alcohol |
| Helifolen-12-al B | 0.09 | Sesquiterpenic aldehyde |
| Unknown | 0.16 | Oxygenated sesquiterpene |
| Unknown | 0.22 | Oxygenated sesquiterpene |
| α -Acorenol | 0.27 | Sesquiterpenic alcohol |
| β -Acorenol | 0.06 | Sesquiterpenic alcohol |
| γ -Eudesmol | 0.11 | Sesquiterpenic alcohol |
| β -Eudesmol | 0.16 | Sesquiterpenic alcohol |
| Unknown | 0.55 | Oxygenated sesquiterpene |
| α -Bisabolol oxide B, epimer 1 | 0.17 | Sesquiterpenic alcohol |
| α -Bisabolol oxide B, epimer 2 | 0.38 | Sesquiterpenic alcohol |
| Bulnesol | 0.45 | Sesquiterpenic alcohol |
| epi- β -Bisabolol | 1.11 | Sesquiterpenic alcohol |
| Unknown | 0.47 | Oxygenated sesquiterpene |
| β -Bisabolol | 2.24 | Sesquiterpenic alcohol |
| epi-Cyclosantalal | 0.20 | Sesquiterpenic aldehyde |
| (E)- α -Santalal | 0.56 | Sesquiterpenic aldehyde |
| Cedr-8-en-13-ol | 0.68 | Sesquiterpenic alcohol |
| (Z)- α -Santalol | 14.26 | Sesquiterpenic alcohol |
| α -Bisabolol | 0.28 | Sesquiterpenic alcohol |
| epi- α -Bisabolol | 6.31 | Sesquiterpenic alcohol |
| (Z)- α -trans-Bergamotol | 3.28 | Sesquiterpenic alcohol |
| Unknown | 0.52 | Oxygenated sesquiterpene |
| (E)- α -Santalol | 0.27 | Sesquiterpenic alcohol |
| Lanceoloxide isomer I | 0.22 | Sesquiterpenic ether |
| (Z)-epi- β -Santalol | 1.26 | Sesquiterpenic alcohol |
| (E)- α -trans-Bergamotol | 1.08 | Sesquiterpenic alcohol |
| Unknown | 0.04 | Oxygenated sesquiterpene |
| (Z)- β -Santalol | 5.17 | Sesquiterpenic alcohol |
| (2E,6E)-Farnesol | 11.63 | Sesquiterpenic alcohol |
| (Z)- γ -Curcumen-12-ol | 4.47 | Sesquiterpenic alcohol |
| (Z)-Nuciferol | 10.66 | Sesquiterpenic alcohol |
| (E)- β -Santalol | 0.51 | Sesquiterpenic alcohol |
| (2E,6E)-Farnesal | 0.45 | Sesquiterpenic aldehyde |
| Unknown | 0.92 | Oxygenated sesquiterpene |
| Unknown | 1.19 | Oxygenated sesquiterpene |

| | | |
|------------------------------------|--------------|--------------------------|
| Curcumen-12-ol analog | 0.72 | Sesquiterpenic alcohol |
| Unknown | 1.29 | Oxygenated sesquiterpene |
| (Z)- β -Curcumen-12-ol | 5.21 | Sesquiterpenic alcohol |
| (Z)-Lanceol | 2.56 | Sesquiterpenic alcohol |
| 12-Hydroxy-(Z)-sesquicineole | 0.14 | Sesquiterpenic alcohol |
| Unknown | 0.90 | Oxygenated sesquiterpene |
| Unknown | 0.72 | Oxygenated sesquiterpene |
| Unknown | 0.53 | Oxygenated sesquiterpene |
| Bisabola-2,7(Z),10(Z)-trien-13-ol? | 0.62 | Oxygenated sesquiterpene |
| Unknown | 0.39 | Oxygenated sesquiterpene |
| Unknown | 0.14 | Oxygenated sesquiterpene |
| Unknown | 0.17 | Oxygenated sesquiterpene |
| Unknown | 0.07 | Oxygenated sesquiterpene |
| Unknown | 0.01 | Oxygenated sesquiterpene |
| (2E,6E)-Farnesyl acetate | 0.08 | Sesquiterpenic ester |
| Unknown | 0.21 | Oxygenated sesquiterpene |
| Unknown | 0.07 | Oxygenated sesquiterpene |
| Unknown | 0.06 | Oxygenated sesquiterpene |
| Consolidated total | 92.96 | |

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.


Bracketed value (xx): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.

DB-WAX



DB-5



FULL ANALYSIS DATA

| Santene | Column DB-WAX | | | Column DB-5 | | |
|--------------------------------------------------------------------------------------------------------|---------------|--------|--------|-------------|--------|--------|
| | 1.18 | 953.1 | 0.08 | 2.51 | 883.3 | 0.08 |
| Tricyclene | 1.33 | 976.0 | tr | 2.99 | 919.1 | 0.01 |
| Limonene | 3.30 | 1159.1 | 0.01 | 4.64 | 1026.9 | 0.01 |
| 4-Hydroxy-4-methylcyclohex-2-enone | 14.15 | 2027.7 | 0.02 | 6.24 | 1127.4 | 0.01 |
| 4-Methylacetophenone | 10.50 | 1704.6 | 0.03 | 7.02 | 1177.0 | 0.01 |
| Unknown SASP II [m/z 93, 91 (89), 94 (85), 105 (60)... 176? (10)] | 9.36 | 1609.9 | 0.06 | 7.63 | 1216.7 | 0.03 |
| Teresantalic acid | 15.74 | 2186.1 | 0.17 | 8.68 | 1287.0 | 0.19 |
| Unknown SASP III [m/z 121, 93 (77), 79 (43), 91 (43), 145 (35)... 178 (8)] | | | | 9.25 | 1326.0 | 0.07 |
| Tricycloekasantalal (1S,5S,6R)-2,6-Dimethylbicyclo[3.1.1]hept-2-ene-6-propanal? | 10.45* | 1700.1 | [0.44] | 9.34 | 1332.1 | 0.12 |
| 7-epi-Sesquithujene | 10.45* | 1700.1 | [0.44] | 9.54 | 1346.4 | 0.07 |
| γ-4-Dimethylbenzenebutyral | | | | 10.16 | 1389.7 | 0.02 |
| Sesquithujene | 8.27 | 1524.3 | 0.06 | 10.23 | 1394.7 | 0.02 |
| α-Cedrene | 8.27* | 1524.3 | 0.06 | 10.37* | 1405.0 | [0.22] |
| cis-α-Bergamotene | 8.14 | 1514.5 | 0.15 | 10.37* | 1405.0 | [0.22] |
| β-Cedrene | 8.37* | 1531.9 | [0.49] | 10.48* | 1412.8 | [0.08] |
| α-Santalene | 8.49 | 1541.6 | 0.03 | 10.48* | 1412.8 | [0.08] |
| trans-α-Bergamotene | 8.37* | 1531.9 | [0.49] | 10.54 | 1417.5 | 0.46 |
| Unknown SASP IV [m/z 93, 91 (80), 79 (68), 123 (68), 121 (56)... 204 (3)] | 8.57 | 1547.8 | 0.16 | 10.76 | 1434.0 | 0.17 |
| epi-β-Santalene | | | | 10.86 | 1441.3 | 0.01 |
| Geranylacetone | 9.12 | 1591.0 | 0.28 | 10.90 | 1444.6 | 0.29 |
| α-Acoradiene | 11.75 | 1802.9 | 0.05 | 11.01 | 1452.2 | 0.05 |
| β-Acoradiene | 9.48 | 1620.1 | 0.16 | 11.05 | 1455.2 | 0.08 |
| β-Santalene | 9.54 | 1625.5 | 0.01 | 11.08* | 1457.7 | [0.58] |
| (E)-β-Farnesene | 9.30 | 1605.8 | 0.47 | 11.08* | 1457.7 | [0.58] |
| 10-epi-β-Acoradiene | 9.68* | 1637.1 | [0.11] | 11.08* | 1457.7 | [0.58] |
| γ-Curcumene | 9.68* | 1637.1 | [0.11] | 11.23 | 1468.9 | 0.06 |
| Unknown SASP V [m/z 119, 91 (24), 105 (16), 121 (16), 93 (15), 117 (15), 41 (14), 132 (14)... 204 (4)] | 9.84 | 1650.3 | 0.20 | 11.36 | 1478.1 | 0.20 |
| ar-Curcumene | | | | 11.38 | 1480.0 | 0.23 |
| β-Selinene | 10.79 | 1729.6 | 0.43 | 11.39* | 1481.0 | [0.54] |
| | 10.01 | 1664.2 | 0.05 | 11.39* | 1481.0 | [0.54] |

| | | | | | | |
|-------------------------------------------------------------------------------------------------|--------|--------|--------|--------|--------|--------|
| Unknown SASP VI [m/z 119, 105 (51), 91 (31), 132 (30), 121 (26), 145 (23), 134 (20)... 204 (2)] | 12.13* | 1837.7 | [0.08] | 11.51 | 1489.6 | 0.05 |
| Unknown SASP VII [m/z 119, 93 (52), 105 (38), 91 (33), 41 (31), 79 (25)... 204 (2)] | 12.10 | 1835.5 | 0.26 | 11.62 | 1497.7 | 0.18 |
| Unknown CULO XII [m/z 119, 91 (14), 120 (10), 117 (9)... 200? (2)] | 12.02 | 1827.4 | 0.03 | 11.68 | 1502.1 | 0.02 |
| β-Bisabolene | 10.29 | 1687.1 | 0.14 | 11.75* | 1507.4 | [0.18] |
| α-Alaskene | 10.08 | 1669.7 | 0.04 | 11.75* | 1507.4 | [0.18] |
| (3E,6E)-α-Farnesene | 10.64 | 1716.4 | 0.08 | 11.79* | 1510.5 | [0.55] |
| β-Curcumene | | | | 11.79* | 1510.5 | [0.55] |
| Sesquicineole | 10.32 | 1689.7 | 0.01 | 11.88 | 1518.1 | 0.02 |
| β-Sesquiphellandrene | 10.76 | 1726.5 | 0.12 | 11.93 | 1521.8 | 0.15 |
| 8,14-Cedranoxide | 11.68 | 1796.8 | 0.04 | 12.11 | 1535.8 | 0.06 |
| (E)-α-Bisabolene | 10.85 | 1735.0 | 0.05 | 12.19 | 1541.9 | 0.07 |
| (E)-Nerolidol | 13.91 | 2003.5 | 1.97 | 12.48 | 1565.2 | 2.07 |
| Unknown SASP VIII [m/z 43, 125 (78), 107 (43), 132 (34), 67 (31)... 220 (3)] | 12.13* | 1837.7 | [0.08] | 12.52 | 1568.0 | 0.04 |
| Unknown SASP IX [m/z 43, 125 (91), 107 (39), 41 (24), 67 (24), 93 (21)... 220 (4)] | 12.18 | 1842.6 | 0.11 | 12.56 | 1570.8 | 0.07 |
| Dendrolasin | 12.67 | 1886.8 | 1.11 | 12.59 | 1573.1 | 1.18 |
| Unknown COGU XII [m/z 93, 121 (68), 123 (45), 91 (41), 119 (32), 79 (30)...220 (9)] | | | | 12.73 | 1584.1 | 0.03 |
| Helifolen-12-al A | 12.97 | 1915.0 | 0.10 | 12.78 | 1587.9 | 0.14 |
| α-Cedrol | 14.32 | 2043.6 | 0.14 | 12.85* | 1593.8 | [0.36] |
| Guaiol | 14.25 | 2037.2 | 0.26 | 12.85* | 1593.8 | [0.36] |
| Helifolen-12-al B | 13.44 | 1959.3 | 0.08 | 12.94 | 1600.5 | 0.09 |
| Unknown SASP X [m/z 81, 41 (40), 69 (36), 138 (27), 43 (26), 110 (25)... 222 (1)] | | | | 13.04 | 1608.6 | 0.16 |
| Unknown SAUN IV [m/z 110, 68 (85), 109 971), 95 (67), 67 (56), 81 (53)... 220 (9)...] | 12.85 | 1903.4 | 0.22 | 13.16 | 1619.2 | 0.22 |
| α-Acorenol | 14.58* | 2069.5 | [0.29] | 13.21 | 1622.8 | 0.27 |
| β-Acorenol | 15.01 | 2111.4 | 0.06 | 13.25* | 1626.1 | [0.18] |
| γ-Eudesmol | 15.05 | 2115.6 | 0.11 | 13.25* | 1626.1 | [0.18] |

| | | | | | | |
|------------------------------------------------------------------------------------------------------------|--------|--------|---------|---------|--------|---------|
| β-Eudesmol | 15.44 | 2155.7 | 0.36 | 13.45 | 1642.9 | 0.16 |
| Unknown SASP XI [m/z 91, 43 (89), 93 (84), 81 (81), 105 (79), 79 (70), 67 (68), 41 (68)...] | | | | 13.48† | 1645.4 | 0.33 |
| α-Bisabolol oxide B, epimer 1 | 14.50 | 2061.6 | 0.16 | 13.54 | 1650.5 | 0.17 |
| α-Bisabolol oxide B, epimer 2 | 14.58* | 2069.5 | [0.29] | 13.58 | 1653.4 | 0.38 |
| Bulnesol | 15.40 | 2151.5 | 0.39 | 13.67 | 1661.1 | 0.45 |
| epi-β-Bisabolol | 14.89* | 2100.0 | [2.20] | 13.70*† | 1663.6 | [0.59] |
| Unknown CILI II [m/z 69, 95 (100), 41 (89), 109 (68), 67 (61)...222] | 16.11 | 2223.9 | 0.47 | 13.72*† | 1664.9 | [0.99] |
| β-Bisabolol | 14.89* | 2100.0 | [2.20] | 13.76*† | 1668.4 | [2.08] |
| epi-Cyclosantalal | 14.74 | 2085.1 | 0.20 | 13.76*† | 1668.4 | [2.08] |
| (E)-α-Santalal | 14.81 | 2092.2 | 0.56 | 13.77*† | 1669.2 | [0.91] |
| Cedr-8-en-13-ol | 16.90 | 2307.6 | 0.68 | 13.88* | 1678.5 | [15.38] |
| (Z)-α-Santalol | 16.76 | 2293.1 | 14.26 | 13.88* | 1678.5 | [15.38] |
| α-Bisabolol | 15.49 | 2160.6 | 0.28 | 13.99* | 1687.5 | [7.56] |
| epi-α-Bisabolol | 15.58 | 2169.5 | 6.31 | 13.99* | 1687.5 | [7.56] |
| (Z)-α-trans-Bergamotol | 16.86 | 2303.4 | 3.22 | 14.05 | 1692.3 | 3.28 |
| Unknown SASP XII [m/z 43, 93 (68), 41 (61), 69 (58), 125 (54), 107 (50)...] | | | | 14.09 | 1695.5 | 0.52 |
| (E)-α-Santalol | 17.09 | 2328.0 | 0.34 | 14.10 | 1696.5 | 0.27 |
| Lanceoloxide isomer I | | | | 14.13 | 1699.0 | 0.22 |
| (Z)-epi-β-Santalol | 17.34 | 2355.6 | 1.18 | 14.17 | 1701.9 | 1.26 |
| (E)-α-trans-Bergamotol | 17.89 | 2415.3 | 0.97 | 14.24 | 1707.8 | 1.08 |
| Unknown SASP XIV [m/z 43, 189 (94), 81 (65), 93 (62), 95 (53), 119 (49)... 207 (43)...] | 15.77 | 2189.5 | 0.04 | 14.35* | 1717.3 | [5.92] |
| (Z)-β-Santalol | 17.49 | 2371.3 | 5.17 | 14.35* | 1717.3 | [5.92] |
| (2E,6E)-Farnesol | 16.96* | 2314.5 | [12.82] | 14.48*† | 1729.3 | [23.88] |
| (Z)-γ-Curcumen-12-ol | 17.64 | 2387.4 | 4.47 | 14.48*† | 1729.3 | [23.88] |
| (Z)-Nuciferol | 18.35 | 2467.1 | 10.66 | 14.50*† | 1730.3 | [2.27] |
| (E)-β-Santalol | 17.84 | 2409.3 | 0.51 | 14.60* | 1739.4 | [2.68] |
| (2E,6E)-Farnesal | 15.94 | 2207.0 | 0.45 | 14.60* | 1739.4 | [2.68] |
| Unknown SAAL X [m/z 91, 93 (65), 79 (57), 105 (49), 119 (47), 121 (44)...218 (1)] | 18.46 | 2479.0 | 0.92 | 14.60* | 1739.4 | [2.68] |
| Unknown SAUN VII [m/z 119, 93 (73), 110 (64), 111 (62), 95 (50), 81 (45), 109 (943), 105 (43)... 220 (17), | 16.96* | 2314.5 | [12.82] | 14.69 | 1746.9 | 1.19 |

| | | | | | | |
|---------------------------------------------------------------------------------------------------|--------|--------|--------|---------|--------|--------|
| 238 (20)] | | | | | | |
| Curcumen-12-ol analog | 17.81 | 2406.6 | 0.72 | 14.72*† | 1749.2 | [1.24] |
| Unknown SAUN VIII [m/z 119, 93 (70), 111 (61), 110 (60), 109 (45), 95 (43)... 220 (17), 238 (16)] | 16.58 | 2273.8 | 1.29 | 14.75*† | 1752.2 | [0.84] |
| (Z)-β-Curcumen-12-ol | 18.06* | 2434.7 | [5.81] | 14.82 | 1758.5 | 5.21 |
| (Z)-Lanceol | 18.11 | 2439.7 | 2.54 | 14.88 | 1763.2 | 2.56 |
| 12-Hydroxy-(Z)-sesquicineole | | | | 14.91 | 1766.1 | 0.14 |
| Unknown SASP XV [m/z 93, 107 (80), 43 (74), 91 (55), 41 (49), 79 (48), 119 (48)... 236 (3)] | | | | 14.94 | 1768.7 | 0.90 |
| Unknown SASP XVI [m/z 93, 119 (89), 91 (63), 79 (63), 132 (53), 41 (52)... 236 (3)] | 18.06* | 2434.7 | [5.81] | 15.06 | 1779.4 | 0.72 |
| Unknown SASP XVII [m/z 107, 93 (96), 79 (90), 55 (78), 41 (76)... 236 (6)] | | | | 15.15 | 1786.6 | 0.53 |
| Bisabola-2,7(Z),10(Z)-trien-13-ol? | 18.43 | 2476.3 | 0.58 | 15.22 | 1792.7 | 0.62 |
| Unknown SASP XIX [m/z 119, 105 (78), 145 (60), 91 (50), 121 (44), 93 (38)... 216 (7)] | 19.89 | 2645.6 | 0.16 | 15.34 | 1803.7 | 0.39 |
| Unknown SASP XX [m/z 119, 145 (62), 105 (52), 91 (52), 121 (38)...] | | | | 15.53 | 1820.2 | 0.14 |
| Unknown SASP XXI [m/z 43, 81 (61), 41 (49), 93 (47), 119 (39), 141 (35)...] | | | | 15.56 | 1823.4 | 0.17 |
| Unknown SASP XXII [m/z 119, 43 (61), 132 (49), 105 (35), 141 (32)...] | | | | 15.61 | 1827.9 | 0.07 |
| Unknown SASP XXIII [m/z 141, 43 (87), 123 (55), 81 (37)... 236 (t)] | | | | 15.70 | 1836.1 | 0.01 |
| (2E,6E)-Farnesyl acetate | 16.00 | 2212.3 | 0.07 | 15.75 | 1840.9 | 0.08 |
| Unknown SAAU III [m/z 93, 43 (99), 109 (95), 68 (80), 95 (77), 81 (69), 110 (68)...220 (7)] | 21.60 | 2854.7 | 0.32 | 16.64 | 1922.1 | 0.21 |
| Unknown SAAU VII [m/z 43, 107 (23), 119 (23), 93 (22), | | | | 16.86 | 1943.4 | 0.07 |

| | | | | |
|-------------------------------------------------------------------------------------------|--|--------|-------|--------|
| 125 (22), 132 (22)...220 (1) | | | | |
| Unknown SAAU VIII [m/z 93, 94 (86), 91 (48), 121 (42), 79 (42), 107 (37)...218 (2)] | | | 16.92 | 1948.5 |
| | | | | 0.06 |
| Total reported | | 86.91% | | 95.44% |

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index