

Date : 2025-12-15

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 25K07-PTH14

Customer Identification : Bergamot - Italy - B30117R

Type : Essential Oil

Source : *Citrus aurantium* var. *bergamia*

Customer : Plant Therapy

Checked and approved by:

Sylvain Mercier, M. Sc., Chimiste 2014-005

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays. The compliance status of the sample is provided to facilitate the reading of the report. The client remains ultimately responsible for reviewing the results presented within this report and to establish compliance of the tested batch against relevant quality criteria.

This report is an update of the version first issued on 2025-11-11 to make a correction in the sample identification section.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

✖ISO

Results : See analysis summary (next page)

Analyst : Alexis St-Gelais, Ph. D., Chimiste 2013-174

Date : 2025-11-11

PHYSICOCHEMICAL DATA

Refractive index : 1.4634 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2025-11-07

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Ethanol	0.01	Aliphatic alcohol
α -Thujene	0.14	Monoterpene
α -Pinene	1.19	Monoterpene
Camphene	0.03	Monoterpene
Sabinene	0.86	Monoterpene
β -Pinene	6.96	Monoterpene
Myrcene	0.94	Monoterpene
α -Phellandrene	0.01	Monoterpene
Pseudolimonene	0.03	Monoterpene
Octanal	0.06	Aliphatic aldehyde
Δ^3 -Carene	0.01	Monoterpene
α -Terpinene	0.03	Monoterpene
<i>para</i> -Cymene	0.42	Monoterpene
β -Phellandrene	0.13	Monoterpene
Limonene	38.55	Monoterpene
(<i>Z</i>)- β -Ocimene	0.04	Monoterpene
(<i>E</i>)- β -Ocimene	0.11	Monoterpene
γ -Terpinene	6.36	Monoterpene
<i>cis</i> -Sabinene hydrate	0.02	Monoterpenic alcohol
<i>para</i> -Mentha-3,8-diene	0.02	Monoterpene
<i>cis</i> -Linalool oxide (fur.)	0.04	Monoterpenic alcohol
Octanol	0.02	Aliphatic alcohol
<i>trans</i> -Linalool oxide (fur.)	0.03	Monoterpenic alcohol
Terpinolene	0.15	Monoterpene
Linalool	10.83	Monoterpenic alcohol
Nonanal	0.01	Aliphatic aldehyde
<i>trans-para</i> -Mentha-2,8-dien-1-ol	0.02	Monoterpenic alcohol
<i>cis</i> -Limonene oxide	0.03	Monoterpenic ether
<i>trans</i> -Limonene oxide	0.02	Monoterpenic ether
<i>cis-para</i> -Mentha-2,8-dien-1-ol	0.02	Monoterpenic alcohol
Camphor	0.01	Monoterpenic ketone
Terpinen-4-ol	0.01	Monoterpenic alcohol
α -Terpineol	0.05	Monoterpenic alcohol
Unknown	0.02	Unknown
Decanal	0.01	Aliphatic aldehyde
Octyl acetate	0.10	Aliphatic ester
Nerol	0.02	Monoterpenic alcohol
Neral	0.25	Monoterpenic aldehyde
Geraniol	0.01	Monoterpenic alcohol
Linalyl acetate	30.06	Monoterpenic ester

Geranial	0.36	Monoterpenic aldehyde
(trans?)-Linalool oxide acetate (fur.)?	0.02	Monoterpenic ester
Bornyl acetate	0.01	Monoterpenic ester
Hodiendiol derivative	0.02	Oxygenated monoterpene
α -Terpinyl acetate	0.02	Monoterpenic ester
Unknown	0.02	Monoterpenic ester
Unknown	0.02	Oxygenated monoterpene
Neryl acetate	0.43	Monoterpenic ester
Geranyl acetate	0.44	Monoterpenic ester
β -Caryophyllene	0.14	Sesquiterpene
cis- α -Bergamotene	0.01	Sesquiterpene
trans- α -Bergamotene	0.04	Sesquiterpene
(E)- β -Farnesene	0.01	Sesquiterpene
Germacrene D	0.01	Sesquiterpene
Hodiendiol derivative II	0.01	Oxygenated monoterpene
γ -Cadinene	0.01	Sesquiterpene
β -Bisabolene	0.40	Sesquiterpene
β -Sesquiphellandrene	0.02	Sesquiterpene
meta-Camphorene	0.01	Diterpene
Consolidated total	99.60	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Ethanol	Column DB-WAX			Column DB-5		
	0.76	912.0	0.02	0.35	505.0	0.01
α -Thujene	1.27	1001.1	0.14	2.96	926.1	0.14
α -Pinene	1.21	991.2	1.19	3.04	931.0	1.19
Camphene	1.51	1028.4	0.02	3.22	943.6	0.03
Sabinene	2.05	1084.0	0.86	3.66*	972.8	[7.84]
β -Pinene	1.89	1067.2	6.96	3.66*	972.8	[7.84]
Myrcene	2.62	1134.4	0.93	3.96	993.1	0.94
α -Phellandrene	2.52	1126.4	0.01	4.08*	1001.2	[0.03]
Pseudolimonene	2.56	1129.4	0.03	4.08*	1001.2	[0.03]
Octanal	4.11	1250.2	0.05	4.12	1003.4	0.06
Δ^3 -Carene	2.33	1111.4	0.01	4.18	1007.7	0.01
α -Terpinene	2.68	1139.6	0.03	4.30	1014.9	0.03
<i>para</i> -Cymene	3.78	1225.5	0.42	4.42	1022.6	0.42
β -Phellandrene	3.01	1165.4	0.13	4.54*	1030.6	[38.84]
Limonene	2.96	1161.9	38.55	4.54*	1030.6	[38.84]
(Z)- β -Ocimene	3.52*	1206.3	[6.38]	4.70	1040.7	0.04
(E)- β -Ocimene	3.68	1218.2	0.12	4.86	1050.5	0.11
γ -Terpinene	3.52*	1206.3	[6.38]	4.99	1059.0	6.36
<i>cis</i> -Sabinene hydrate	6.55*	1429.1	[0.04]	5.08	1064.9	0.02
<i>para</i> -Mentha-3,8-diene	3.74	1222.7	0.01	5.15	1068.9	0.02
<i>cis</i> -Linalool oxide (fur.)	6.19	1401.5	0.04	5.18	1071.1	0.04
Octanol	7.83*†	1527.0	[29.93]	5.25	1075.7	0.02
<i>trans</i> -Linalool oxide (fur.)	6.55*	1429.1	[0.04]	5.43*	1086.7	[0.18]
Terpinolene	3.95	1238.4	0.15	5.43*	1086.7	[0.18]
Linalool	7.74*†	1519.9	[11.12]	5.70	1104.4	10.83
Nonanal	5.52	1352.8	0.01	5.73	1106.1	0.01
<i>trans-para</i> -Mentha-2,8-dien-1-ol	8.56	1584.9	0.02	5.92	1118.4	0.02
<i>cis</i> -Limonene oxide	6.05	1391.2	0.03	6.11	1130.8	0.03
<i>trans</i> -Limonene oxide	6.22	1403.7	0.02	6.14	1132.9	0.02
<i>cis-para</i> -Mentha-2,8-dien-1-ol	9.07*	1625.9	[0.24]	6.19	1135.7	0.02
Camphor	6.80	1448.0	0.01	6.22	1137.5	0.01
Terpinen-4-ol	8.19	1555.6	0.01	6.78	1174.3	0.01
α -Terpineol	9.39	1652.1	0.05	7.00	1188.5	0.05
Unknown SASC VI [m/z 43, 71 (80), 67 (55), 59 (51), 68 (44)],				7.14	1197.4	0.02

Laboratoire
PhytoChemia

Plus que des analyses... des conseils

41 (43)...						
Decanal	6.94	1458.2	0.01	7.29	1207.7	0.01
Octyl acetate	6.74	1443.1	0.09	7.44	1217.3	0.10
Nerol	10.67	1759.8	0.01	7.63	1230.5	0.02
Neral	9.07*	1625.9	[0.24]	7.78	1241.0	0.25
Geraniol	11.24	1808.8	0.01	8.14*	1265.5	[30.07]
Linalyl acetate	7.83*†	1527.0	[29.93]	8.14*	1265.5	[30.07]
Geranial	9.70	1677.5	0.36	8.25*	1272.9	[0.38]
(trans?)-Linalool oxide acetate (fur.)?	8.31	1564.7	0.02	8.25*	1272.9	[0.38]
Bornyl acetate	7.83*†	1527.0	[29.93]	8.37	1281.3	0.01
Hodiendiol derivative	12.55	1927.8	0.02	9.27	1341.1	0.02
α-Terpinyl acetate	9.30	1644.3	0.02	9.37	1348.2	0.02
Unknown MISC VII [m/z 43, 121 (52), 93 (48), 79 (33), 41 (30), 136 (26), 81 (25)...				9.44	1352.9	0.02
Unknown SASC III [m/z 43, 79 (46), 71 (30), 94 (25), 41 (23), 81 (21)... 197 (0)]	10.77	1768.4	0.02	9.49	1356.3	0.02
Neryl acetate	9.80	1685.8	0.43	9.63	1366.8	0.43
Geranyl acetate	10.16	1716.3	0.43	9.91	1386.1	0.44
β-Caryophyllene	8.05*	1544.0	[0.18]	10.29*	1413.8	[0.15]
cis-α-Bergamotene	7.83*†	1527.0	[29.93]	10.29*	1413.8	[0.15]
trans-α- Bergamotene	8.05*	1544.0	[0.18]	10.57	1435.0	0.04
(E)-β-Farnesene	9.17	1633.9	0.01	10.90	1459.5	0.01
Germacrene D	9.35	1649.1	0.01	11.12	1475.8	0.01
Hodiendiol derivative II				11.48	1503.1	0.01
γ-Cadinene	9.98	1700.7	0.01	11.55*	1508.3	[0.40]
β-Bisabolene	9.75	1682.1	0.40	11.55*	1508.3	[0.40]
β- Sesquiphellandrene	10.21	1720.2	0.02	11.73	1522.7	0.02
meta-Camphorene	14.94	2160.3	0.01	16.72	1951.6	0.01
Total reported		99.59%			99.77%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index