

Date : 2023-11-03

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 23J27-PTH03

Customer Identification : Clary Sage - Spain - CF0117R

Type : Essential Oil

Source : *Salvia sclarea*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID

*ISO

Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2023-11-01

PHYSICOCHEMICAL DATA

Refractive index : 1.4587 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2023-10-27

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Ethanol	tr	Aliphatic alcohol
Isovaleral	0.01	Aliphatic aldehyde
2-Methylbutyral	0.01	Aliphatic aldehyde
2-Ethylfuran	tr	Furan
Isoamyl alcohol	tr	Aliphatic alcohol
2-Methylbutanol	tr	Aliphatic alcohol
Toluene	tr	Simple phenolic
Hexanal	tr	Aliphatic aldehyde
Octane	tr	Alkane
(2E)-Hexenal	0.04	Aliphatic aldehyde
(3Z)-Hexenol	0.04	Aliphatic alcohol
(2E)-Hexenol	0.08	Aliphatic alcohol
Hexanol	0.05	Aliphatic alcohol
3-Acetyl-3-methylcyclopentene	0.01	Aliphatic ketone
Tricyclene	0.01	Monoterpene
α-Thujene	tr	Monoterpene
α-Pinene	0.45	Monoterpene
Camphene	0.08	Monoterpene
Sabinene	0.08	Monoterpene
β-Pinene	0.23	Monoterpene
Octen-3-ol	0.03	Aliphatic alcohol
6-Methyl-5-hepten-2-one	0.01	Aliphatic ketone
Myrcene	0.69	Monoterpene
trans-Dehydroxylinalool oxide	0.05	Monoterpenic ether
Pseudolimonene	0.01	Monoterpene
Octan-3-ol	0.01	Aliphatic alcohol
α-Phellandrene	0.01	Monoterpene
Δ3-Carene	0.01	Monoterpene
cis-Dehydroxylinalool oxide	0.04	Monoterpenic ether
α-Terpinene	0.03	Monoterpene
para-Cymene	0.09	Monoterpene
Limonene	0.65	Monoterpene
β-Phellandrene	0.09	Monoterpene
(Z)-β-Ocimene	0.26	Monoterpene
(E)-β-Ocimene	0.43	Monoterpene
γ-Terpinene	0.14	Monoterpene
cis-Linalool oxide (fur.)	0.03	Monoterpenic alcohol
trans-Linalool oxide (fur.)	0.04	Monoterpenic alcohol
Terpinolene	0.16	Monoterpene
Linalool	20.65	Monoterpenic alcohol

Hotrienol	0.03	Monoterpenic alcohol
Dehydrosabinaketone	0.01	Normonoterpenic ketone
allo-Ocimene	0.01	Monoterpene
<i>trans</i> -Pinocarveol	0.01	Monoterpenic alcohol
Camphor	0.05	Monoterpenic ketone
(E)-Myroxide	0.01	Monoterpenic ether
Nerol oxide	0.03	Aliphatic ether
Borneol	0.08	Monoterpenic alcohol
δ-Terpineol	0.02	Monoterpenic alcohol
Terpinen-4-ol	0.08	Monoterpenic alcohol
<i>para</i> -Cymen-8-ol	0.01	Monoterpenic alcohol
α-Terpineol	3.19	Monoterpenic alcohol
Hodiendiol (2,6-dimethylocta-3,7-diene-2,6-diol)	0.03	Monoterpenic alcohol
Unknown	0.02	Unknown
Linalyl formate	0.32	Monoterpenic ester
Nerol	0.34	Monoterpenic alcohol
Neral	0.04	Monoterpenic aldehyde
Geraniol	1.13	Monoterpenic alcohol
Linalyl acetate	60.12	Monoterpenic ester
Geranial	0.07	Monoterpenic aldehyde
Unknown	0.01	Unknown
Neryl formate	0.03	Monoterpenic ester
Bornyl acetate	0.03	Monoterpenic ester
Thymol	0.01	Monoterpenic alcohol
Geranyl formate	0.09	Monoterpenic ester
δ-Elemene	0.02	Sesquiterpene
Hodiendiol derivative	0.08	Oxygenated monoterpene
α-Terpinyl acetate	0.15	Monoterpenic ester
α-Cubebene	0.01	Sesquiterpene
Unknown	0.02	Oxygenated monoterpene
Unknown	0.02	Monoterpenic ester
Unknown	0.04	Oxygenated monoterpene
Neryl acetate	0.52	Monoterpenic ester
α-Copaene	0.31	Sesquiterpene
(Z)-8-Hydroxylinalool?	0.01	Monoterpenic alcohol
β-Bourbonene	0.10	Sesquiterpene
1,5-diepi-β-Bourbonene	0.01	Sesquiterpene
Geranyl acetate	1.00	Monoterpenic ester
β-Cubebene	0.07	Sesquiterpene
β-Elemene	0.07	Sesquiterpene
Isocaryophyllene	0.02	Sesquiterpene
β-Caryophyllene	1.56	Sesquiterpene
β-Copaene	0.04	Sesquiterpene
<i>trans</i> -α-Bergamotene	0.02	Sesquiterpene

α-Humulene	0.06	Sesquiterpene
9-epi-β-Caryophyllene	0.01	Sesquiterpene
(E)-β-Farnesene	0.02	Sesquiterpene
Germacrene D	1.97	Sesquiterpene
α-Amorphene	0.02	Sesquiterpene
Hodiendiol derivative IV	0.18	Oxygenated monoterpenes
Bicyclogermacrene	0.26	Sesquiterpene
α-Selinene	0.01	Sesquiterpene
α-Muurolene	0.03	Sesquiterpene
Germacrene A	0.04	Sesquiterpene
β-Bisabolene	0.01	Sesquiterpene
γ-Cadinene	0.11	Sesquiterpene
δ-Cadinene	0.08	Sesquiterpene
trans-Calamenene	0.01	Sesquiterpene
Isocaryophyllene epoxide B	0.01	Sesquiterpenic ether
1,5-Epoxyalval-4(14)-ene	0.02	Sesquiterpenic ether
Spathulenol	0.09	Sesquiterpenic alcohol
Caryophyllene oxide	0.08	Sesquiterpenic ether
Caryophyllene oxide isomer	0.02	Sesquiterpenic ether
Alval-4(14)-en-1-one	0.02	Aliphatic alcohol
Unknown	0.08	Oxygenated sesquiterpene
Torilenol	0.02	Oxygenated sesquiterpene
Unknown	0.03	Oxygenated sesquiterpene
Unknown	0.07	Unknown
τ-Cadinol	0.02	Sesquiterpenic alcohol
β-Eudesmol	0.04	Sesquiterpenic alcohol
α-Eudesmol	0.03	Sesquiterpenic alcohol
α-Cadinol	0.01	Sesquiterpenic alcohol
Bulnesol	0.02	Sesquiterpenic alcohol
(1βH)-Guai-9-en-11-ol?	0.01	Sesquiterpenic alcohol
Eudesma-4(15),7-dien-1β-ol	0.01	Sesquiterpenic alcohol
Unknown	0.01	Unknown
Phytone	0.02	Terpenic ketone
Unknown	0.06	Unknown
Unknown	0.05	Unknown
Geranyl-para-cymene	0.04	Diterpene
Manoyl oxide	0.01	Diterpenic ether
13-epi-Manoyl oxide	0.01	Diterpenic ether
Manool	0.02	Diterpenic alcohol
Sclareol	1.41	Diterpenic alcohol
Consolidated total	99.39	

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid

Essential Oil, *Salvia sclarea*
Internal code: 23J27-PTH03

Clary Sage - Spain - CF0117R


Report prepared for:
Plant Therapy


overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Ethanol	Column DB-WAX			Column DB-5		
	0.95	909.8	tr	0.38	501.8	tr
Isovaleral	0.85	888.3	0.01	0.64	642.4	0.01
2-Methylbutyral	0.83	881.6	0.01	0.67	652.5	0.01
2-Ethylfuran	1.02	921.2	tr	0.82	702.7	tr
Isoamyl alcohol	3.65*	1178.0	[0.01]	1.04	734.2	tr
2-Methylbutanol	3.65*	1178.0	[0.01]	1.06	737.2	tr
Toluene	1.56	1000.7	tr	1.23	760.5	tr
Hexanal	2.04	1045.7	tr	1.53	801.2	tr
Octane	0.56	780.1	0.05	1.55	804.5	tr
(2E)-Hexenal	3.61	1174.8	0.05	2.10	850.2	0.04
(3Z)-Hexenol	6.03	1350.1	0.05	2.20	858.3	0.04
(2E)-Hexenol	6.36	1373.4	0.12	2.36	871.0	0.08
Hexanol	5.66	1324.3	0.05	2.39	874.0	0.05
3-Acetyl-3-methylcyclopentene	1.11	933.7	tr	2.50	882.5	0.01
Tricyclene	1.37	973.7	0.01	2.99	919.5	0.01
α -Thujene	1.59	1003.5	tr	3.10	926.8	tr
α -Pinene	1.50	992.8	0.45	3.18	931.7	0.45
Camphepane	1.86	1028.5	0.07	3.37	944.4	0.08
Sabinene	2.46	1085.0	0.08	3.80*	972.4	[0.33]
β -Pinene	2.27	1067.3	0.23	3.80*	972.4	[0.33]
Octen-3-ol	7.02*	1421.3	[0.05]	3.98	984.6	0.03
6-Methyl-5-hepten-2-one	5.30	1295.1	tr	4.04	988.0	0.01
Myrcene	3.07	1133.5	0.69	4.12*	993.4	[0.75]
<i>trans</i> -Dehydroxylinalool oxide	3.59	1172.9	0.05	4.12*	993.4	[0.75]
Pseudolimonene	3.02	1129.9	0.01	4.26*†	1002.7	[0.01]
Octan-3-ol	6.31	1370.1	0.01	4.26*†	1002.7	[0.01]
α -Phellandrene	2.97	1126.3	0.01	4.26*†	1002.7	[0.01]
Δ 3-Carene	2.77	1111.2	0.01	4.33*	1007.4	[0.05]
<i>cis</i> -Dehydroxylinalool oxide	4.02*	1204.8	[0.18]	4.33*	1007.4	[0.05]
α -Terpinene	3.15	1140.0	0.03	4.46	1015.2	0.03
<i>para</i> -Cymene	4.32	1226.0	0.09	4.58	1022.6	0.09
Limonene	3.38	1157.6	0.65	4.65*	1027.2	[0.74]
β -Phellandrene	3.50	1166.6	0.09	4.65*	1027.2	[0.74]
(Z)- β -Ocimene	3.98	1202.5	0.25	4.87	1040.6	0.26
(E)- β -Ocimene	4.19	1217.2	0.43	5.02	1050.4	0.43
γ -Terpinene	4.02*	1204.8	[0.18]	5.14	1057.7	0.14
<i>cis</i> -Linalool oxide (fur.)	6.78	1403.7	0.03	5.36	1071.3	0.03

<i>trans</i> -Linalool oxide (fur.)	7.15	1431.0	0.04	5.60*	1086.5	[0.19]
Terpinolene	4.50	1239.0	0.16	5.60*	1086.5	[0.19]
Linalool	8.35*†	1519.8	[22.17]	5.93	1106.8	20.65
Hotrienol	9.05	1573.6	0.02	5.95	1108.1	0.03
Dehydrosabinaketone	8.89	1560.8	0.01	6.08	1116.8	0.01
<i>allo</i> -Ocimene	5.80	1334.4	0.01	6.30	1130.7	0.01
<i>trans</i> -Pinocarveol	9.38	1599.0	0.01	6.36	1134.6	0.01
Camphor	7.47	1453.9	0.03	6.40	1137.2	0.05
(E)-Myroxide	7.30	1441.4	0.01	6.50	1143.4	0.01
Nerol oxide	7.10	1426.8	0.04	6.68	1154.5	0.03
Borneol	10.05*	1652.3	[5.37]	6.81	1163.3	0.08
δ-Terpineol	9.73*	1626.9	[0.08]	6.85	1165.3	0.02
Terpinen-4-ol	8.84	1556.9	0.08	6.99	1174.4	0.08
<i>para</i> -Cymen-8-ol	11.79	1797.1	0.01	7.18	1186.6	0.01
α-Terpineol	10.05*	1652.3	[5.37]	7.24	1190.2	3.19
Hodiendiol (2,6-dimethylocta-3,7-diene-2,6-diol)	13.03*	1906.8	[0.19]	7.35	1197.2	0.03
Unknown SASC VII [m/z 43, 71 (66), 59 (52), 41 (47), 68 (46)...]	7.62	1465.5	0.01	7.51	1207.4	0.02
Linalyl formate	8.66*	1543.5	[0.33]	7.63	1215.7	0.32
Nerol	11.32	1757.5	0.40	7.87	1231.6	0.34
Neral	9.78*	1631.0	[0.03]	7.99	1239.7	0.04
Geraniol	11.89	1805.8	1.13	8.36*	1264.3	[61.26]
Linalyl acetate	8.46*†	1528.3	[58.44]	8.36*	1264.3	[61.26]
Geranial	10.36	1677.5	0.06	8.45	1270.7	0.07
Unknown MISC V [m/z 121, 43 (75), 95 (57), 41 (34), 93 (33), 69 (28)...]				8.53	1275.9	0.01
Neryl formate	9.73*	1626.9	[0.08]	8.62	1281.8	0.03
Bornyl acetate	8.54	1534.0	0.03	8.65	1283.5	0.03
Thymol	15.38	2129.6	0.01	8.89	1299.7	0.01
Geranyl formate	10.14	1660.1	0.08	8.94	1303.0	0.09
δ-Elemene	7.19	1433.7	0.01	9.38	1334.0	0.02
Hodiendiol derivative	13.19	1921.0	0.08	9.49	1341.9	0.08
α-Terpinyl acetate	9.96	1645.0	0.15	9.57*	1347.4	[0.16]
α-Cubebene	7.02*	1421.3	[0.05]	9.57*	1347.4	[0.16]
Unknown SASC II [m/z 43, 79 (47), 71 (31), 94 (27), 81 (23), 41 (22)... 197 (0)]	11.36	1760.8	0.02	9.63*	1351.8	[0.04]
Unknown MISC VII				9.63*	1351.8	[0.04]

[m/z 43, 121 (52), 93 (48), 79 (33), 41 (30), 136 (26), 81 (25)...]					
Unknown SASC III					
[m/z 43, 79 (46), 71 (30), 94 (25), 41 (23), 81 (21)... 197 (0)]	11.42	1765.6	0.03	9.68	1355.4
Neryl acetate	10.43	1683.4	0.52	9.83	1365.6
α -Copaene	7.39	1448.5	0.31	9.92	1372.0
(Z)-8-Hydroxylinalool?	14.03	1998.9	0.01	9.97	1375.5
β -Bourbonene	7.73	1473.2	0.10	10.03*	1379.7
1,5-diepi- β -Bourbonene	7.58	1462.4	0.01	10.03*	1379.7
Geranyl acetate	10.80	1714.1	1.00	10.10	1384.9
β -Cubebene	8.03	1495.4	0.09	10.13	1386.6
β -Elemene	8.72*	1548.0	[1.52]	10.17	1389.3
Isocaryophyllene	8.46*†	1528.3	[58.44]	10.33	1400.8
β -Caryophyllene	8.72*	1548.0	[1.52]	10.50	1413.1
β -Copaene	8.66*	1543.5	[0.33]	10.64	1423.5
trans- α -Bergamotene	8.72*	1548.0	[1.52]	10.77	1433.0
α -Humulene	9.54	1611.3	0.06	10.95	1446.8
9-epi- β -Caryophyllene	9.62	1618.0	0.01	11.10*	1457.7
(E)- β -Farnesene	9.78*	1631.0	[0.03]	11.10*	1457.7
Germacrene D	10.05*	1652.3	[5.37]	11.34*	1475.4
α -Amorphene	9.84	1635.3	0.02	11.34*	1475.4
Hodiendiol derivative IV				11.42	1481.9
Bicyclogermacrene	10.31*	1673.8	[0.25]	11.54*	1490.2
α -Selinene	10.18	1662.8	0.01	11.54*	1490.2
α -Muurolene	10.31*	1673.8	[0.25]	11.61	1495.9
Germacrene A	10.63*	1699.5	[0.05]	11.64	1498.0
β -Bisabolene	10.39	1680.0	0.01	11.78*	1508.2
γ -Cadinene	10.63*	1699.5	[0.05]	11.78*	1508.2
δ -Cadinene	10.67	1702.6	0.08	11.91*	1519.0
trans-Calamenene	11.45	1768.1	0.01	11.91*	1519.0
Isocaryophyllene epoxide B	12.39*	1849.6	[0.03]	12.23	1543.9
1,5-Epoxyosalvial-4(14)-ene	12.39*	1849.6	[0.03]	12.41	1557.8
Spathulenol	14.66	2059.3	0.09	12.57	1570.4
Caryophyllene oxide	13.03*	1906.8	[0.19]	12.61*	1573.4
Caryophyllene oxide isomer	12.96	1900.3	0.02	12.61*	1573.4
Salvia-4(14)-en-1-one	13.29	1930.4	0.01	12.76	1585.0

Unknown MISC CLIX [m/z 91, 119 (91), 79 (86), 93 (85), 41 (74), 107 (68), 105 (67), 134 (65)... 220 (1)]				12.87	1594.1	0.08
Torilenol	15.74*	2165.0	[0.03]	13.02	1605.7	0.02
Unknown CASA XLIV [m/z 135, 93 (66), 79 (58), 107 (54), 41 (42), 81 (41), 67 (41)... 220 (2)]				13.14	1615.4	0.03
Unknown SCTE X [m/z 43, 93 (89), 91 (88), 79 (87), 123 (76), 81 (75)...]	14.16	2010.7	0.07	13.34	1631.7	0.07
τ-Cadinol	15.12	2103.5	0.01	13.38	1635.5	0.02
β-Eudesmol	15.67	2158.0	0.08	13.46	1641.9	0.04
α-Eudesmol	15.61	2152.7	0.03	13.51	1645.8	0.03
α-Cadinol	15.74*	2165.0	[0.03]	13.54	1648.2	0.01
Bulnesol	15.54	2144.9	0.01	13.67	1659.2	0.02
(1βH)-Guai-9-en-11- ol?	15.98	2189.6	0.06	13.78	1668.1	0.01
Eudesma-4(15),7- dien-1β-ol	16.31	2223.2	0.03	13.91	1678.7	0.01
Unknown THAR V [m/z 123, 191 (88), 81 (86), 41 (86), 151 (80), 91 (76)...]	18.98	2514.9	0.02	15.59	1824.0	0.01
Phytone	14.94	2086.1	0.02	15.81	1844.4	0.02
Unknown SASC XI [m/z 69, 81 (84), 109 (80), 43 (64), 95 (59)...]				16.57	1914.0	0.06
Unknown UNKN CXC [m/z 109, 132 (88), 157 (76), 119 (66), 91 (57), 105 (55)...]				16.74	1930.2	0.05
Geranyl-para-cymene	16.42	2235.5	0.03	16.94	1949.4	0.04
Manoyl oxide	16.75	2269.4	0.01	17.22	1975.5	0.01
13-epi-Manoyl oxide	16.64	2257.4	0.02	17.49	2001.4	0.01
Manool	19.60	2586.4	0.03	17.92	2043.8	0.02
Sclareol	23.15	3037.2	1.41	19.50	2204.8	1.41
Total reported		98.94%			99.40%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

Essential Oil, *Salvia sclarea*
Internal code: 23J27-PTH03

Clary Sage - Spain - CF0117R

Report prepared for:
Plant Therapy

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index