

Date : 2024-10-07

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24I24-PTH04

Customer Identification : Coriander - Ukraine - CK0111R

Type : Essential Oil

Source : *Coriandrum sativum*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

✖ISO

Results : See analysis summary (next page)

Analyst : Alexis St-Gelais, Ph. D., Chimiste 2013-174

Date : 2024-10-07

PHYSICOCHEMICAL DATA

Refractive index : 1.4644 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2024-09-26

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Methyl 2-methylbutyrate	0.01	Aliphatic ester
Hexanol	0.01	Aliphatic alcohol
Heptanal	0.01	Aliphatic aldehyde
Tricyclene	0.03	Monoterpene
α -Thujene	0.04	Monoterpene
α -Pinene	5.57	Monoterpene
Camphene	1.01	Monoterpene
Thuja-2,4(10)-diene	tr	Monoterpene
Sabinene	0.20	Monoterpene
β -Pinene	0.48	Monoterpene
6-Methyl-5-hepten-2-one	0.03	Aliphatic ketone
Myrcene	0.87	Monoterpene
6-Methyl-5-hepten-2-ol	0.05	Aliphatic alcohol
Pseudolimonene	0.02	Monoterpene
α -Phellandrene	0.01	Monoterpene
Δ^3 -Carene	0.01	Monoterpene
α -Terpinene	0.03	Monoterpene
<i>para</i> -Cymene	2.02	Monoterpene
β -Phellandrene	[0.13]	Monoterpene
Limonene	2.74	Monoterpene
1,8-Cineole	[0.13]	Monoterpenic ether
(<i>Z</i>)- β -Ocimene	0.04	Monoterpene
(<i>E</i>)- β -Ocimene	0.08	Monoterpene
γ -Terpinene	3.08	Monoterpene
<i>cis</i> -Sabinene hydrate	0.04	Monoterpenic alcohol
<i>cis</i> -Linalool oxide (fur.)	0.26	Monoterpenic alcohol
Isoterpinolene	0.02	Monoterpene
<i>trans</i> -Linalool oxide (fur.)	0.25	Monoterpenic alcohol
<i>para</i> -Cymenene	0.01	Monoterpene
Terpinolene	0.50	Monoterpene
2-Hexylfuran	0.01	Furan
6,7-Epoxyterpinolene	0.01	Monoterpenic ether
<i>trans</i> -Sabinene hydrate	0.01	Monoterpenic alcohol
Linalool	72.06	Monoterpenic alcohol
α -Campholenal	tr	Monoterpenic aldehyde
Camphor	5.16	Monoterpenic ketone
Epoxyterpinolene	0.07	Monoterpenic ether
Citronellal	0.02	Monoterpenic aldehyde
Isoborneol	0.01	Monoterpenic alcohol
Borneol	0.13	Monoterpenic alcohol

Unknown	0.02	Oxygenated monoterpene
Terpinen-4-ol	0.13	Monoterpenic alcohol
<i>para</i> -Cymen-8-ol	0.04	Monoterpenic alcohol
Myrtenal	0.02	Monoterpenic aldehyde
α -Terpineol	0.27	Monoterpenic alcohol
Hodiendiol (2,6-dimethylocta-3,7-diene-2,6-diol)	tr	Monoterpenic alcohol
Myrtenol	0.03	Monoterpenic alcohol
Methyl salicylate	0.01	Phenolic ester
Unknown	0.07	Unknown
Verbenone	0.05	Monoterpenic ketone
Decanal	0.02	Aliphatic aldehyde
Octyl acetate	0.02	Aliphatic ester
Unknown	0.01	Unknown
Nerol	0.06	Monoterpenic alcohol
Citronellol	0.05	Monoterpenic alcohol
Neral	0.03	Monoterpenic aldehyde
Geraniol	1.14	Monoterpenic alcohol
3,7-Dimethyl-octa-1,7-diene-3,6-diol	0.03	Monoterpenic alcohol
(2 <i>E</i>)-Decenal	0.02	Aliphatic aldehyde
Geranial	0.04	Monoterpenic aldehyde
(<i>E</i>)-Anethole	0.03	Phenylpropanoid
Myrtenyl acetate	0.13	Monoterpenic ester
Citronellyl acetate	0.01	Monoterpenic ester
Neryl acetate	0.03	Monoterpenic ester
Geranyl acetate	2.38	Monoterpenic ester
β -Caryophyllene	0.07	Sesquiterpene
α -Humulene	0.01	Sesquiterpene
(2 <i>E</i>)-Dodecenal	tr	Aliphatic aldehyde
(2 <i>E</i>)-Dodecenol	0.01	Aliphatic alcohol
Unknown	tr	Unknown
Caryophyllene oxide	0.01	Sesquiterpenic ether
Unknown	0.01	Unknown
Consolidated total	99.78	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Methyl 2-methylbutyrate	Column DB-WAX			Column DB-5		
	1.40	977.4	0.01	1.31	773.9	0.01
Hexanol	5.63	1320.8	0.03	2.37	874.2	0.01
Heptanal	3.15*	1140.9	[0.04]	2.72	903.3	0.01
Tricyclene	1.37	973.5	0.03	2.95	918.0	0.03
α -Thujene	1.56	1000.8	0.05	3.06	925.4	0.04
α -Pinene	1.51	994.7	5.54	3.14	930.9	5.57
Camphene	1.86	1028.9	1.01	3.33	943.1	1.01
Thuja-2,4(10)-diene	2.46*	1085.8	[0.21]	3.42	949.1	tr
Sabinene	2.46*	1085.8	[0.21]	3.75*	971.0	[0.68]
β -Pinene	2.27	1068.1	0.48	3.75*	971.0	[0.68]
6-Methyl-5-hepten-2-one	5.26*	1292.3	[0.04]	3.99	987.0	0.03
Myrcene	3.07	1134.2	0.88	4.07	992.2	0.87
6-Methyl-5-hepten-2-ol	7.11*	1427.8	[0.34]	4.13	996.5	0.05
Pseudolimonene	2.97	1127.3	0.02	4.21	1001.3	0.02
α -Phellandrene	3.02	1130.5	0.01	4.23	1003.1	0.01
Δ^3 -Carene	2.78	1112.2	0.01	4.29	1006.9	0.01
α -Terpinene	3.15*	1140.9	[0.04]	4.40	1013.9	0.03
<i>para</i> -Cymene	4.32	1226.2	2.03	4.53	1021.8	2.02
β -Phellandrene	3.49*	1165.9	[0.13]	4.60*	1026.4	[2.88]
Limonene	3.40	1159.2	2.74	4.60*	1026.4	[2.88]
1,8-Cineole	3.49*	1165.9	[0.13]	4.60*	1026.4	[2.88]
(<i>Z</i>)- β -Ocimene	4.00	1203.8	0.03	4.82	1039.6	0.04
(<i>E</i>)- β -Ocimene	4.19	1217.5	0.08	4.97	1049.4	0.08
γ -Terpinene	4.03	1206.1	3.09	5.10	1057.2	3.08
<i>cis</i> -Sabinene hydrate	7.11*	1427.8	[0.34]	5.23	1065.3	0.04
<i>cis</i> -Linalool oxide (fur.)	6.73	1399.9	0.27	5.31	1070.6	0.26
Isoterpinolene	4.50*	1239.4	[0.52]	5.47	1080.8	0.02
<i>trans</i> -Linalool oxide (fur.)	7.11*	1427.8	[0.34]	5.55*†	1085.4	[0.59]
<i>para</i> -Cymenene	6.55	1386.8	0.01	5.56*†	1086.3	[0.17]
Terpinolene	4.50*	1239.4	[0.52]	5.56*†	1086.3	[0.17]
2-Hexylfuran	5.26*	1292.3	[0.04]	5.65*	1091.7	[0.02]
6,7-Epoxy-myrcene	6.29	1368.4	0.01	5.65*	1091.7	[0.02]
<i>trans</i> -Sabinene hydrate	8.17	1506.8	0.04	5.66	1092.8	0.01
Linalool	8.33	1519.4	71.69	5.94	1110.4	72.06
α -Campholenal	7.22*	1436.5	[0.02]	6.11	1121.3	tr

Camphor	7.45	1452.9	5.12	6.39	1138.9	5.16
Epoxyterpinolene	6.95	1416.0	0.04	6.46	1143.6	0.07
Citronellal	7.22*	1436.5	[0.02]	6.62*	1153.3	[0.03]
Isoborneol	9.57*	1616.0	[0.02]	6.62*	1153.3	[0.03]
Borneol	9.98*	1649.2	[0.39]	6.76	1162.7	0.13
Unknown MISC CCXVII [m/z 81, 108 (98), 95 (78), 67 (56), 109 (50), 79 (49), 93 (44)... 152 (2)]				6.84	1167.8	0.02
Terpinen-4-ol	8.79	1554.7	0.11	6.94	1174.0	0.13
<i>para</i> -Cymen-8-ol	11.72	1794.1	0.04	7.10	1184.5	0.04
Myrtenal	8.91	1564.3	0.02	7.16*	1188.5	[0.29]
α -Terpineol	9.98*	1649.2	[0.39]	7.16*	1188.5	[0.29]
Hodiendiol (2,6- dimethylocta-3,7- diene-2,6-diol)	13.01*	1908.7	[0.02]	7.25*	1193.9	[0.06]
Myrtenol	11.06	1738.4	0.03	7.25*	1193.9	[0.06]
Methyl salicylate	10.68	1705.9	0.01	7.25*	1193.9	[0.06]
Unknown SASC VI [m/z 43, 71 (80), 67 (55), 59 (51), 68 (44), 41 (43)...]	11.21	1751.3	0.07	7.30	1197.3	0.07
Verbenone	9.81*	1635.5	[0.17]	7.37	1201.8	0.05
Decanal	7.54	1460.1	0.03	7.43	1205.7	0.02
Octyl acetate	7.31	1443.0	0.02	7.57	1214.7	0.02
Unknown ARAB I [m/z 69, 41 (55), 111 (25), 93 (14), 109 (14)...]				7.66	1220.7	0.01
Nerol	11.25	1754.9	0.07	7.78	1229.2	0.06
Citronellol	10.92	1726.7	0.06	7.83	1232.1	0.05
Neral	9.69*	1625.7	[0.04]	7.93	1238.8	0.03
Geraniol	11.82	1803.2	1.17	8.20	1257.3	1.14
3,7-Dimethyl- octa-1,7-diene- 3,6-diol				8.25*	1260.7	[0.04]
(2E)-Decenal	9.29	1593.2	0.02	8.25*	1260.7	[0.04]
Geranial	10.32	1676.3	0.05	8.38	1269.0	0.04
(E)-Anethole	11.35	1762.8	0.04	8.57	1282.0	0.03
Myrtenyl acetate	9.81*	1635.5	[0.17]	9.15	1321.9	0.13
Citronellyl acetate	9.69*	1625.7	[0.04]	9.62	1354.9	0.01

Neryl acetate	10.40	1683.3	0.03	9.77	1365.1	0.03
Geranyl acetate	10.78	1714.9	2.41	10.05	1384.9	2.38
β -Caryophyllene	8.69	1547.3	0.08	10.42	1411.9	0.07
α -Humulene	9.57*	1616.0	[0.02]	10.88	1446.1	0.01
(2E)-Dodecenal	11.92	1811.9	0.01	11.14	1465.2	tr
(2E)-Dodecenol	13.86	1986.8	0.01	11.26	1474.2	0.01
Unknown DRMO IV [m/z 43, 85 (60), 81 (49), 71 (49), 79 (47), 59 (42), 84 (35)...]				11.46	1488.8	tr
Caryophyllene oxide	13.01*	1908.7	[0.02]	12.54	1573.1	0.01
Unknown LAAN VII [m/z 69, 81 (44), 41 (28), 95 (26), 93 (26), 71 (24)...]				16.46	1910.2	0.01
Total reported	99.40%			99.79%		

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index