

Date : 2024-08-26

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 24H12-PTH01

Customer Identification : Eucalyptus Dives - South Africa - EG0106R

Type : Essential Oil

Source : *Eucalyptus dives*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

✖ISO

Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2024-08-22

PHYSICOCHEMICAL DATA

Refractive index : 1.4801 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cassandra Baker

Date : 2024-08-12

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
2-Methylbutanol	tr	Aliphatic alcohol
Toluene	0.02	Simple phenolic
Unknown	tr	Unknown
Angeloyl acetate?	tr	Aliphatic ester
Ethyl butyrate	tr	Aliphatic ester
3-Methylpentanol	0.01	Aliphatic alcohol
Hexanol	0.01	Aliphatic alcohol
Isoamyl acetate	0.01	Aliphatic ester
2-Methylbutyl acetate	0.01	Aliphatic ester
α -Thujene	2.76	Monoterpene
α -Pinene	0.35	Monoterpene
Unknown	tr	Monoterpene
Sabinene	0.25	Monoterpene
β -Pinene	0.06	Monoterpene
3-Methyl-3-cyclohexenone	0.01	Aliphatic ketone
3-Methylpentyl acetate	0.01	Aliphatic ester
Myrcene	1.32	Monoterpene
α -Phellandrene	20.87	Monoterpene
Δ^3 -Carene	0.01	Monoterpene
α -Terpinene	1.10	Monoterpene
Carvomenthene	0.03	Aliphatic alcohol
<i>para</i> -Cymene	3.12	Monoterpene
1,8-Cineole	[3.02]	Monoterpenic ether
β -Phellandrene	[3.02]	Monoterpene
Limonene	0.45	Monoterpene
(<i>Z</i>)- β -Ocimene	0.05	Monoterpene
(<i>E</i>)- β -Ocimene	0.39	Monoterpene
γ -Terpinene	0.73	Monoterpene
<i>cis</i> -Sabinene hydrate	0.02	Monoterpenic alcohol
<i>cis</i> -Linalool oxide (fur.)	0.02	Monoterpenic alcohol
Terpinolene	2.15	Monoterpene
<i>trans</i> -Linalool oxide (fur.)	0.02	Monoterpenic alcohol
<i>para</i> -Cymenene	0.03	Monoterpene
Methyl benzoate	0.01	Phenolic ester
<i>trans</i> -Sabinene hydrate	0.01	Monoterpenic alcohol
Linalool	1.12	Monoterpenic alcohol
<i>para</i> -Mentha-1,3,8-triene	0.01	Monoterpene
<i>cis-para</i> -Menth-2-en-1-ol	0.86	Monoterpenic alcohol
Cosmene	0.01	Monoterpene
<i>trans-para</i> -Menth-2-en-1-ol	0.64	Monoterpenic alcohol

Unknown	0.01	Oxygenated monoterpene
Lilac aldehyde A	0.02	Monoterpenic aldehyde
iso-Isopulegol	0.02	Monoterpenic alcohol
Unknown	0.03	Oxygenated monoterpene
Unknown	0.04	Oxygenated monoterpene
Terpinen-4-ol	4.75	Monoterpenic alcohol
Unknown	0.05	Unknown
Cryptone	0.01	Normonoterpenic ketone
<i>para</i> -Cymen-8-ol	0.01	Monoterpenic alcohol
α -Terpineol	1.31	Monoterpenic alcohol
<i>cis</i> -Piperitol	0.21	Monoterpenic alcohol
<i>cis</i> - α -Phellandrene epoxide (iPr vs Me)	0.03	Monoterpenic ether
<i>trans</i> -Piperitol	0.24	Monoterpenic alcohol
<i>trans</i> - α -Phellandrene epoxide (iPr vs Me)	0.03	Monoterpenic ether
Neral	0.07	Monoterpenic aldehyde
Benzylacetone	0.08	Simple phenolic
Piperitone	50.88	Monoterpenic ketone
Geraniol	0.16	Monoterpenic alcohol
Geranial	0.08	Monoterpenic aldehyde
Thymol	0.04	Monoterpenic alcohol
<i>para</i> -Menth-5-en-1,2-diol isomer II	0.03	Monoterpenic alcohol
<i>para</i> -Menth-5-en-1,2-diol isomer III	0.06	Monoterpenic alcohol
Unknown	0.02	Unknown
Bicycloelemene	0.01	Sesquiterpene
α -Terpinyl acetate	0.16	Monoterpenic ester
Eugenol	0.02	Phenylpropanoid
Methyl (<i>E</i>)-cinnamate	0.06	Phenylpropanoid ester
Unknown	0.01	Unknown
β -Elemene	0.02	Sesquiterpene
(<i>Z</i>)-Jasmone	0.03	Jasmonate
Unknown	0.02	Unknown
α -Gurjunene	0.02	Sesquiterpene
(<i>trans</i> ?) -6-Hydroxy- <i>para</i> -menth-1-en-3-one	0.01	Monoterpenic alcohol
β -Caryophyllene	0.06	Sesquiterpene
Aromadendrene	0.01	Sesquiterpene
α -Humulene	0.01	Sesquiterpene
allo-Aromadendrene	0.05	Sesquiterpene
Germacrene D	0.01	Sesquiterpene
Unknown	0.03	Unknown
Viridiflorene	0.04	Sesquiterpene
Bicyclogermacrene	0.46	Sesquiterpene
Aromadendra-1(10),4(15)-diene	0.01	Sesquiterpene
δ -Cadinene	0.01	Sesquiterpene
α -Elemol	0.05	Sesquiterpenic alcohol
Epiglobulol	0.01	Sesquiterpenic alcohol

Spathulenol	0.06	Sesquiterpenic alcohol
Globulol	0.06	Sesquiterpenic alcohol
Viridiflorol	0.03	Sesquiterpenic alcohol
Ledol	0.02	Sesquiterpenic alcohol
Eudesm-5-en-11-ol analog	0.01	Sesquiterpenic alcohol
Rosifoliol	0.02	Sesquiterpenic alcohol
γ-Eudesmol	0.05	Sesquiterpenic alcohol
Isospathulenol	0.05	Sesquiterpenic alcohol
τ-Cadinol	0.01	Sesquiterpenic alcohol
β-Eudesmol	0.06	Sesquiterpenic alcohol
α-Eudesmol	0.05	Sesquiterpenic alcohol
(2E,6E)-Farnesol	0.02	Sesquiterpenic alcohol
Cryptomeridiol	0.01	Sesquiterpenic alcohol
Consolidated total	99.21	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

2-Methylbutanol	Column DB-WAX			Column DB-5		
	3.62	1174.9	0.01	1.02	732.6	tr
Toluene	1.57*	999.8	[2.77]	1.20	758.5	0.02
Unknown HEIT II [m/z 73, 87 (52), 41 (45), 56 (42), 100 (29)...]	1.17	941.2	tr	1.36	780.4	tr
Angeloyl acetate?	3.51*	1166.9	[3.04]	1.49	799.4	tr
Ethyl butyrate	1.63	1005.5	tr	1.53	804.5	tr
3-Methylpentanol	5.26	1293.6	0.01	2.05	847.3	0.01
Hexanol	5.63	1320.0	0.01	2.38	874.8	0.01
Isoamyl acetate	2.58	1095.5	0.01	2.41	877.3	0.01
2-Methylbutyl acetate	2.54	1092.2	tr	2.44	879.8	0.01
α -Thujene	1.57*	999.8	[2.77]	3.07	925.9	2.76
α -Pinene	1.50	992.5	0.34	3.14	930.3	0.35
Unknown SAOF I [m/z 91, 92 (47), 65 (11)... 134 (1)]	2.52	1090.5	0.01	3.31	941.6	tr
Sabinene	2.47	1085.0	0.25	3.74*	970.1	[0.30]
β -Pinene	2.28	1066.9	0.06	3.74*	970.1	[0.30]
3-Methyl-3- cyclohexenone	6.39*	1374.3	[0.01]	3.91	981.3	0.01
3-Methylpentyl acetate	4.04*	1206.3	[0.73]	3.95	984.0	0.01
Myrcene	3.09	1134.6	1.34	4.08	992.7	1.32
α -Phellandrene	3.03	1130.0	20.82	4.26	1004.5	20.87
Δ 3-Carene	2.79	1111.8	0.01	4.31	1007.5	0.01
α -Terpinene	3.18	1141.2	1.12	4.42	1014.5	1.10
Carvomenthene	2.65	1101.0	0.03	4.49	1019.0	0.03
<i>para</i> -Cymene	4.34	1227.8	3.14	4.55	1022.4	3.12
1,8-Cineole	3.51*	1166.9	[3.04]	4.60*†	1025.9	[1.46]
β -Phellandrene	3.51*	1166.9	[3.04]	4.60*†	1025.9	[1.46]
Limonene	3.41	1158.7	0.45	4.60*†	1025.9	[1.46]
(Z)- β -Ocimene	4.00	1203.7	0.05	4.82	1039.7	0.05
(E)- β -Ocimene	4.21	1218.7	0.40	4.98	1049.5	0.39
γ -Terpinene	4.04*	1206.3	[0.73]	5.10	1056.8	0.73
<i>cis</i> -Sabinene hydrate	7.13*	1427.8	[0.04]	5.23	1064.9	0.02
<i>cis</i> -Linalool oxide (fur.)	6.76*	1400.3	[0.02]	5.31	1070.1	0.02
Terpinolene	4.53	1241.5	2.15	5.56*	1085.9	[2.18]
<i>trans</i> -Linalool oxide (fur.)	7.13*	1427.8	[0.04]	5.56*	1085.9	[2.18]

<i>para</i> -Cymenene	6.57	1387.1	0.03	5.56*	1085.9	[2.18]
Methyl benzoate	8.88	1559.4	0.01	5.64	1090.9	0.01
<i>trans</i> -Sabinene hydrate	8.18	1506.1	0.01	5.71	1095.3	0.01
Linalool	8.29*	1514.0	[1.12]	5.82	1101.9	1.12
<i>para</i> -Mentha-1,3,8-triene	6.39*	1374.3	[0.01]	5.92	1108.1	0.01
<i>cis-para</i> -Menth-2-en-1-ol	8.35	1518.9	0.90	6.08	1118.8	0.86
Cosmene	6.76*	1400.3	[0.02]	6.26	1130.3	0.01
<i>trans-para</i> -Menth-2-en-1-ol	9.19	1583.4	0.64	6.38	1137.4	0.64
Unknown CALU I [m/z 95, 43 (74), 109 (72), 82 (62), 110 (50)... 152 (14)]	7.24	1435.9	0.03	6.49	1144.8	0.01
Lilac aldehyde A				6.53	1147.3	0.02
iso-Isopulegol	8.29*	1514.0	[1.12]	6.70	1158.0	0.02
Unknown CALU II [m/z 95, 110 (38), 81 (21), 79 (16)... 152 (7)]	7.90*	1484.4	[0.03]	6.76	1162.2	0.03
Unknown CALU III [m/z 95, 110 (43), 81 (28), 41 (15)... 152 (8)]	7.95	1488.0	0.03	6.83	1166.3	0.04
Terpinen-4-ol	8.82*	1555.0	[4.73]	6.97	1175.1	4.75
Unknown EUDI I [m/z 69, 68 (65), 110 (51), 67 (39), 41 (27), 83 (26)...]	8.13	1501.5	0.04	7.02	1178.8	0.05
Cryptone	9.41	1600.5	0.01	7.07	1181.7	0.01
<i>para</i> -Cymen-8-ol	11.75	1794.0	0.06	7.11	1184.2	0.01
α -Terpineol	10.05*	1652.2	[1.28]	7.18	1188.5	1.31
<i>cis</i> -Piperitol	9.80	1631.7	0.20	7.24	1192.4	0.21
<i>cis</i> - α -Phellandrene epoxide (iPr vs Me)	11.29	1754.4	0.04	7.33	1198.4	0.03
<i>trans</i> -Piperitol	10.60	1697.1	0.35	7.49	1208.5	0.24
<i>trans</i> - α -Phellandrene epoxide (iPr vs Me)	12.35	1846.7	0.03	7.87	1234.1	0.03
Neral	9.72	1626.0	0.06	7.93	1238.3	0.07
Benzylacetone	11.68	1787.3	0.05	8.02	1244.2	0.08
Piperitone	10.23	1666.9	50.65	8.20	1256.4	50.88
Geraniol	11.85	1802.6	0.18	8.22	1257.4	0.16

Geranial	10.35*	1676.1	[0.54]	8.40	1269.3	0.08
Thymol	15.39	2131.0	0.06	8.89	1302.3	0.04
<i>para</i> -Menth-5-en-1,2-diol isomer II	14.64*	2058.1	[0.06]	8.95	1306.6	0.03
<i>para</i> -Menth-5-en-1,2-diol isomer III				9.08	1315.4	0.06
Unknown SCMO III [m/z 43, 97 (99), 107 (47), 41 (35), 55 (30)...]	13.63*	1961.9	[0.02]	9.33*	1333.1	[0.03]
Bicycloelemene	7.32	1441.9	0.01	9.33*	1333.1	[0.03]
α -Terpinyl acetate	10.00	1648.3	0.19	9.52	1346.5	0.16
Eugenol	15.03	2095.4	0.02	9.64	1355.3	0.02
Methyl (<i>E</i>)-cinnamate	14.03	1999.1	0.07	9.96	1377.5	0.06
Unknown CAO V IX [m/z 71, 109 (99), 85 (66), 111 (65), 100 (63), 43 (59)...]	16.86	2280.6	0.02	10.05	1383.8	0.01
β -Elemene	8.70*	1545.6	[0.09]	10.11	1388.0	0.02
(<i>Z</i>)-Jasmone	12.65	1873.1	0.03	10.19*	1393.6	[0.05]
Unknown CALU VIII [m/z 71, 100 (92), 111 (79), 69 (46), 109 (45)...]				10.19*	1393.6	[0.05]
α -Gurjunene	7.90*	1484.4	[0.03]	10.32	1402.8	0.02
(<i>trans</i> ?)-6-Hydroxy- <i>para</i> -menth-1-en-3-one	17.05*	2301.6	[0.02]	10.44*	1411.7	[0.07]
β -Caryophyllene	8.70*	1545.6	[0.09]	10.44*	1411.7	[0.07]
Aromadendrene	8.82*	1555.0	[4.73]	10.70	1431.5	0.01
α -Humulene	9.58	1614.6	0.02	10.90	1445.9	0.01
allo-Aromadendrene	9.30	1591.6	0.05	10.99	1452.9	0.05
Germacrene D	10.05*	1652.2	[1.28]	11.27	1473.9	0.01
Unknown EUDI II [m/z 98, 108 (84), 43 (62), 161 (38), 41 (28), 91 (26)...]				11.36	1480.6	0.03
Viridiflorene	9.90	1640.1	0.04	11.48*	1489.2	[0.50]
Bicyclogermacrene	10.35*	1676.1	[0.54]	11.48*	1489.2	[0.50]
Aromadendra-1(10),4(15)-diene	10.67	1702.2	0.01	11.58	1496.9	0.01
δ -Cadinene	10.70	1705.2	0.01	11.86	1517.9	0.01
α -Elemol	14.28	2023.2	0.05	12.19	1544.4	0.05

Epiglobulol	13.54	1953.9	0.01	12.29	1552.1	0.01
Spathulenol	14.64*	2058.1	[0.06]	12.51	1569.2	0.06
Globulol	14.15	2010.9	0.05	12.59	1575.6	0.06
Viridiflorol	14.24	2019.2	0.04	12.69	1583.0	0.03
Ledol	13.63*	1961.9	[0.02]	12.82*	1593.4	[0.03]
Eudesm-5-en-11-ol analog	14.47	2041.7	0.01	12.82*	1593.4	[0.03]
Rosifoliol	14.57	2050.6	0.02	13.08	1614.2	0.02
γ-Eudesmol				13.20	1623.9	0.05
Isospathulenol	15.68	2159.6	0.05	13.28	1630.5	0.05
τ-Cadinol	15.17	2109.7	0.01	13.32	1634.1	0.01
β-Eudesmol	15.65	2156.8	0.06	13.40	1640.9	0.06
α-Eudesmol	15.58	2150.1	0.07	13.45	1644.6	0.05
(2E,6E)-Farnesol	17.05*	2301.6	[0.02]	14.35	1719.7	0.02
Cryptomeridiol	20.06	2640.1	0.01	15.28	1800.9	0.01
Total reported		98.95%			99.18%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index