

Date : 2023-12-08

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 23L01-PTH04

Customer Identification : Lemon - Argentina - L60117R

Type : Essential Oil

Source : *Citrus x limon*

Customer : Plant Therapy

Checked and approved by:

Alexis St-Gelais, Ph. D., Chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID



Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2023-12-06

PHYSICOCHEMICAL DATA

Refractive index : 1.4745 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2023-12-01

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

| Identification | % | Class |
|---------------------------------|-------|-----------------------|
| Heptane | tr | Alkane |
| Octane | tr | Alkane |
| 2,6-Dimethyl-1,5-heptadiene | 0.01 | Normonoterpene |
| Heptanal | 0.01 | Aliphatic aldehyde |
| Tricyclene | 0.01 | Monoterpene |
| α -Thujene | 0.39 | Monoterpene |
| α -Pinene | 1.90 | Monoterpene |
| α -Fenchene | tr | Monoterpene |
| Camphene | 0.06 | Monoterpene |
| Thuja-2,4(10)-diene | 0.02 | Monoterpene |
| β -Pinene | 13.07 | Monoterpene |
| Sabinene | 2.19 | Monoterpene |
| 6-Methyl-5-hepten-2-one | 0.02 | Aliphatic ketone |
| Myrcene | 1.33 | Monoterpene |
| Pseudolimonene | 0.01 | Monoterpene |
| α -Phellandrene | 0.04 | Monoterpene |
| Δ^3 -Carene | 0.01 | Monoterpene |
| Octanal | 0.11 | Aliphatic aldehyde |
| α -Terpinene | 0.17 | Monoterpene |
| para-Cymene | 0.43 | Monoterpene |
| β -Phellandrene | 0.32 | Monoterpene |
| Limonene | 63.26 | Monoterpene |
| 1,8-Cineole | 0.03 | Monoterpenic ether |
| (Z)- β -Ocimene | 0.05 | Monoterpene |
| (E)- β -Ocimene | 0.09 | Monoterpene |
| γ -Terpinene | 8.03 | Monoterpene |
| cis-Sabinene hydrate | 0.04 | Monoterpenic alcohol |
| Octanol | 0.01 | Aliphatic alcohol |
| Terpinolene | 0.34 | Monoterpene |
| trans-Sabinene hydrate | 0.04 | Monoterpenic alcohol |
| Linalool | 0.10 | Monoterpenic alcohol |
| Nonanal | 0.14 | Aliphatic aldehyde |
| trans-para-Mentha-2,8-dien-1-ol | 0.01 | Monoterpenic alcohol |
| cis-Limonene oxide | 0.03 | Monoterpenic ether |
| trans-Limonene oxide | 0.03 | Monoterpenic ether |
| Camphor | 0.01 | Monoterpenic ketone |
| Epoxyterpinolene | 0.02 | Monoterpenic ether |
| Citronellal | 0.09 | Monoterpenic aldehyde |
| Borneol | 0.03 | Monoterpenic alcohol |
| Terpinen-4-ol | 0.06 | Monoterpenic alcohol |

| | | |
|--------------------------------------|------|--------------------------|
| Unknown | 0.01 | Oxygenated monoterpene |
| Isogeranial | 0.01 | Monoterpenic aldehyde |
| α -Terpineol | 0.24 | Monoterpenic alcohol |
| Unknown | 0.01 | Unknown |
| Unknown | 0.01 | Oxygenated monoterpene |
| Decanal | 0.07 | Aliphatic aldehyde |
| <i>trans</i> -Carveol | 0.01 | Monoterpenic alcohol |
| 2,3-Epoxyneral? | 0.02 | Monoterpenic aldehyde |
| Nerol | 0.06 | Monoterpenic alcohol |
| 2,3-Epoxygeranial? | 0.03 | Monoterpenic aldehyde |
| Neral | 0.85 | Monoterpenic aldehyde |
| Geraniol | 0.04 | Monoterpenic alcohol |
| Geranial | 1.41 | Monoterpenic aldehyde |
| Undecanal | 0.03 | Aliphatic aldehyde |
| Citronellyl acetate | 0.04 | Monoterpenic ester |
| Neryl acetate | 0.68 | Monoterpenic ester |
| α -Copaene | 0.01 | Sesquiterpene |
| Geranyl acetate | 0.41 | Monoterpenic ester |
| β -Elemene | 0.01 | Sesquiterpene |
| Tetradecane | 0.02 | Alkane |
| Dodecanal | 0.02 | Aliphatic aldehyde |
| β -Caryophyllene | 0.14 | Sesquiterpene |
| <i>cis</i> - α -Bergamotene | 0.05 | Sesquiterpene |
| α -Santalene | 0.02 | Sesquiterpene |
| <i>trans</i> - α -Bergamotene | 0.37 | Sesquiterpene |
| α -Humulene | 0.02 | Sesquiterpene |
| (<i>E</i>)- β -Farnesene | 0.03 | Sesquiterpene |
| β -Santalene | 0.02 | Sesquiterpene |
| Germacrene D | 0.01 | Sesquiterpene |
| Geranyl propionate | 0.01 | Monoterpenic ester |
| <i>trans</i> - β -Bergamotene | 0.03 | Sesquiterpene |
| Valencene | 0.06 | Sesquiterpene |
| Bicyclogermacrene | 0.04 | Sesquiterpene |
| (<i>Z</i>)- α -Bisabolene | 0.06 | Sesquiterpene |
| γ -Cadinene | 0.01 | Sesquiterpene |
| β -Bisabolene | 0.54 | Sesquiterpene |
| (<i>E</i>)- γ -Bisabolene | 0.01 | Sesquiterpene |
| (<i>E</i>)- α -Bisabolene | 0.02 | Sesquiterpene |
| Spathulenol | 0.03 | Sesquiterpenic alcohol |
| Caryophyllene oxide | 0.02 | Sesquiterpenic ether |
| Unknown | 0.03 | Oxygenated sesquiterpene |
| Unknown | 0.03 | Oxygenated sesquiterpene |
| α -Bisabolol | 0.04 | Sesquiterpenic alcohol |
| (2 <i>E</i> ,6 <i>Z</i>)-Farnesal | 0.01 | Sesquiterpenic aldehyde |
| Nootkatone | 0.01 | Sesquiterpenic ketone |

| | | |
|---------------------------|--------------|----------------|
| Citropten | 0.05 | Furanocoumarin |
| Palmitic acid | 0.06 | Aliphatic acid |
| Stearic acid | 0.19 | Aliphatic acid |
| Tricosane | 0.01 | Alkane |
| Byakangelicol | 0.03 | Furanocoumarin |
| Heptacosane | 0.01 | Alkane |
| Nonacosane | 0.02 | Alkane |
| Consolidated total | 98.48 | |

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.


DB-WAX



Laboratoire
PhytoChemia

Plus que des analyses... des conseils

DB-5



Laboratoire
PhytoChemia

Plus que des analyses... des conseils

FULL ANALYSIS DATA

| Heptane | Column DB-WAX | | | Column DB-5 | | |
|---------------------------------|---------------|--------|--------|-------------|--------|---------|
| | | | | 0.82 | 700.8 | tr |
| Octane | 0.56 | 782.0 | tr | 1.54 | 803.7 | tr |
| 2,6-Dimethyl-1,5-heptadiene | 1.32 | 965.6 | tr | 2.55 | 886.9 | 0.01 |
| Heptanal | 3.22 | 1145.1 | 0.01 | 2.76 | 904.1 | 0.01 |
| Tricyclene | 1.36 | 972.1 | 0.01 | 2.99 | 919.2 | 0.01 |
| α -Thujene | 1.55 | 999.9 | 0.39 | 3.10 | 926.8 | 0.39 |
| α -Pinene | 1.49 | 991.7 | 1.88 | 3.18 | 931.7 | 1.90 |
| α -Fenchene | 1.78 | 1021.2 | tr | 3.37* | 944.3 | [0.07] |
| Camphene | 1.84 | 1027.3 | 0.06 | 3.37* | 944.3 | [0.07] |
| Thuja-2,4(10)-diene | 2.47 | 1086.1 | 0.03 | 3.41 | 947.0 | 0.02 |
| β -Pinene | 2.28 | 1068.4 | 13.07 | 3.83* | 974.2 | [15.27] |
| Sabinene | 2.45 | 1084.3 | 2.19 | 3.83* | 974.2 | [15.27] |
| 6-Methyl-5-hepten-2-one | 5.26 | 1293.0 | 0.03 | 4.01 | 986.1 | 0.02 |
| Myrcene | 3.05 | 1132.5 | 1.33 | 4.12 | 993.6 | 1.33 |
| Pseudolimonene | 3.00 | 1128.6 | 0.01 | 4.26*† | 1002.9 | [0.03] |
| α -Phellandrene | 2.96 | 1125.3 | 0.04 | 4.26*† | 1002.9 | [0.03] |
| Δ^3 -Carene | 2.76 | 1110.2 | 0.01 | 4.28*† | 1003.9 | [0.15] |
| Octanal | 4.63 | 1247.9 | 0.11 | 4.28*† | 1003.9 | [0.15] |
| α -Terpinene | 3.14 | 1139.1 | 0.17 | 4.46 | 1015.4 | 0.17 |
| para-Cymene | 4.30 | 1224.7 | 0.47 | 4.59 | 1023.5 | 0.43 |
| β -Phellandrene | 3.50 | 1166.0 | 0.32 | 4.73* | 1032.4 | [63.81] |
| Limonene | 3.46 | 1163.1 | 63.26 | 4.73* | 1032.4 | [63.81] |
| 1,8-Cineole | 3.51 | 1167.3 | 0.03 | 4.73* | 1032.4 | [63.81] |
| (Z)- β -Ocimene | 4.03* | 1205.6 | [8.07] | 4.87 | 1041.1 | 0.05 |
| (E)- β -Ocimene | 4.17 | 1215.9 | 0.10 | 5.03 | 1050.8 | 0.09 |
| γ -Terpinene | 4.03* | 1205.6 | [8.07] | 5.17 | 1059.5 | 8.03 |
| cis-Sabinene hydrate | 7.11 | 1428.0 | 0.04 | 5.28 | 1066.1 | 0.04 |
| Octanol | 8.40 | 1523.5 | 0.02 | 5.46 | 1077.7 | 0.01 |
| Terpinolene | 4.48 | 1237.8 | 0.35 | 5.60 | 1086.6 | 0.34 |
| trans-Sabinene hydrate | 8.18 | 1506.7 | 0.04 | 5.76 | 1096.3 | 0.04 |
| Linalool | 8.27 | 1513.8 | 0.11 | 5.86 | 1102.4 | 0.10 |
| Nonanal | 6.08 | 1353.8 | 0.13 | 5.90 | 1104.9 | 0.14 |
| trans-para-Mentha-2,8-dien-1-ol | 9.16 | 1581.7 | 0.01 | 6.12 | 1119.1 | 0.01 |
| cis-Limonene oxide | 6.64* | 1393.8 | [0.04] | 6.29 | 1129.8 | 0.03 |
| trans-Limonene | 6.81 | 1405.8 | 0.03 | 6.37 | 1134.8 | 0.03 |

| | | | | | | |
|--|--------|--------|--------|--------|--------|--------|
| oxide | | | | | | |
| Camphor | 7.43 | 1451.4 | 0.01 | 6.39 | 1136.5 | 0.01 |
| Epoxyterpinolene | 6.94 | 1415.7 | 0.02 | 6.49 | 1142.8 | 0.02 |
| Citronellal | 7.21 | 1435.5 | 0.09 | 6.66 | 1153.3 | 0.09 |
| Borneol | 10.00* | 1648.6 | [0.25] | 6.82 | 1163.5 | 0.03 |
| Terpinen-4-ol | 8.79 | 1553.4 | 0.06 | 6.99 | 1174.2 | 0.06 |
| Unknown CYFL V [m/z 84, 83 (74), 137 (56), 41 (47), 93 (43), 108 (40)... 152 (2)] | 9.86 | 1636.9 | 0.01 | 7.03 | 1176.8 | 0.01 |
| Isogeranial | 8.42* | 1525.3 | [0.05] | 7.13 | 1183.1 | 0.01 |
| α -Terpineol | 10.00* | 1648.6 | [0.25] | 7.21 | 1188.7 | 0.24 |
| Unknown MISC XXXI [m/z 121, 79 (98), 93 (87), 94 (73), 91 (63), 105 (45)…] | 8.00 | 1492.7 | 0.02 | 7.26 | 1191.7 | 0.01 |
| Unknown CYFL VI [m/z 84, 41 (83), 83 (79), 91 (76), 93 (67), 119 (64), 137 (63), 109 (54), 108 (54)… 152 (4)] | 10.40* | 1681.1 | [0.72] | 7.44 | 1203.2 | 0.01 |
| Decanal | 7.51 | 1457.2 | 0.07 | 7.48 | 1205.9 | 0.07 |
| trans-Carveol | 11.68 | 1787.6 | 0.01 | 7.67 | 1218.6 | 0.01 |
| 2,3-Epoxyneral? | | | | 7.72 | 1221.6 | 0.02 |
| Nerol | 11.28 | 1754.2 | 0.06 | 7.84 | 1229.5 | 0.06 |
| 2,3-Epoxygeranal? | | | | 7.87 | 1231.9 | 0.03 |
| Neral | 9.70 | 1624.4 | 0.86 | 7.98 | 1239.0 | 0.85 |
| Geraniol | 11.85 | 1802.2 | 0.05 | 8.26 | 1257.6 | 0.04 |
| Geranal | 10.33 | 1675.1 | 1.40 | 8.44 | 1269.7 | 1.41 |
| Undecanal | 8.89 | 1561.0 | 0.03 | 9.00 | 1307.2 | 0.03 |
| Citronellyl acetate | 9.66 | 1621.0 | 0.03 | 9.68 | 1354.8 | 0.04 |
| Neryl acetate | 10.38 | 1678.7 | 0.55 | 9.83 | 1365.4 | 0.68 |
| α -Copaene | 7.29 | 1440.7 | 0.01 | 9.92 | 1371.6 | 0.01 |
| Geranyl acetate | 10.77 | 1711.4 | 0.43 | 10.10 | 1384.4 | 0.41 |
| β -Elemene | 8.64* | 1542.0 | [0.52] | 10.16 | 1388.7 | 0.01 |
| Tetradecane | 6.64* | 1393.8 | [0.04] | 10.36 | 1402.8 | 0.02 |
| Dodecanal | 10.22 | 1665.8 | 0.03 | 10.44 | 1408.6 | 0.02 |
| β -Caryophyllene | 8.64* | 1542.0 | [0.52] | 10.49* | 1412.6 | [0.20] |
| cis- α -Bergamotene | 8.42* | 1525.3 | [0.05] | 10.49* | 1412.6 | [0.20] |
| α -Santalene | 8.42* | 1525.3 | [0.05] | 10.55 | 1416.8 | 0.02 |
| trans- α -Bergamotene | 8.64* | 1542.0 | [0.52] | 10.77 | 1433.4 | 0.37 |

| | | | | | | |
|---|--------|--------|--------|--------|--------|--------|
| α -Humulene | 9.51 | 1608.9 | 0.02 | 10.95 | 1446.7 | 0.02 |
| (E)- β -Farnesene | 9.80 | 1632.3 | 0.03 | 11.09* | 1457.3 | [0.04] |
| β -Santalene | 9.38 | 1599.1 | 0.02 | 11.09* | 1457.3 | [0.04] |
| Germacrene D | 10.06 | 1653.3 | tr | 11.33 | 1474.6 | 0.01 |
| Geranyl propionate | 11.62 | 1782.2 | 0.01 | 11.36 | 1477.1 | 0.01 |
| <i>trans</i> - β -Bergamotene | 9.76 | 1629.0 | 0.03 | 11.41 | 1480.8 | 0.03 |
| Valencene | 10.12 | 1658.3 | 0.06 | 11.49 | 1487.0 | 0.06 |
| Bicyclogermacrene | 10.28 | 1671.4 | 0.04 | 11.53 | 1490.0 | 0.04 |
| (Z)- α -Bisabolene | 10.60 | 1696.8 | 0.01 | 11.68 | 1501.1 | 0.06 |
| γ -Cadinene | 10.64 | 1700.0 | 0.01 | 11.76* | 1506.6 | [0.55] |
| β -Bisabolene | 10.40* | 1681.1 | [0.72] | 11.76* | 1506.6 | [0.55] |
| (E)- γ -Bisabolene | 10.72 | 1706.8 | 0.01 | 12.04 | 1528.9 | 0.01 |
| (E)- α -Bisabolene | 10.94 | 1725.4 | 0.03 | 12.20 | 1541.2 | 0.02 |
| Spathulenol | 14.63 | 2055.8 | 0.02 | 12.57 | 1570.1 | 0.03 |
| Caryophyllene oxide | 13.00 | 1904.3 | 0.02 | 12.61 | 1573.5 | 0.02 |
| Unknown CILI I [m/z 94, 43 (89), 41 (67), 122 (46), 69 (41)...222] | 15.11 | 2102.8 | 0.02 | 13.55 | 1649.3 | 0.03 |
| Unknown CILI II [m/z 69, 95 (100), 41 (89), 109 (68), 67 (61)...222] | 16.23 | 2215.1 | 0.02 | 13.73 | 1664.5 | 0.03 |
| α -Bisabolol | 15.66 | 2157.9 | 0.04 | 13.95 | 1682.2 | 0.04 |
| (2E,6Z)-Farnesal | 15.59 | 2150.6 | 0.01 | 14.32 | 1712.9 | 0.01 |
| Nootkatone | 18.05 | 2409.2 | 0.01 | 15.23 | 1792.5 | 0.01 |
| Citropten | 24.03 | 3160.1 | 0.02 | 17.08 | 1962.7 | 0.05 |
| Palmitic acid | | | | 17.19 | 1972.7 | 0.06 |
| Stearic acid | | | | 19.15 | 2168.7 | 0.19 |
| Tricosane | 16.99 | 2294.7 | 0.06 | 20.39 | 2300.8 | 0.01 |
| Byakangelicol | | | | 23.20 | 2629.6 | 0.03 |
| Heptacosane | | | | 23.77 | 2700.3 | 0.01 |
| Nonacosane | 22.05 | 2890.2 | 0.11 | 25.29 | 2900.5 | 0.02 |
| Total reported | | 98.26% | | | 98.70% | |
| | | | | | | |

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

t: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index