

Date : 2026-06-02

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 26E04-PTH04

Customer Identification : Lime Persian - Mexico - PW0106

Type : Essential Oil

Source : *Citrus latifolia*

Customer : Plant Therapy

Checked and approved by:

Sylvain Mercier, M. Sc., Chimiste 2014-005

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays. The compliance status of the sample is provided to facilitate the reading of the report. The client remains ultimately responsible for reviewing the results presented within this report and to establish compliance of the tested batch against relevant quality criteria.

This report is an update of the version first issued on 2026-05-0 to make a correction in the sample identification section.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

***ISO**

Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2026-05-05

PHYSICOCHEMICAL DATA

Refractive index : 1.4813 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2026-05-01

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
2-Methyl-3-buten-2-ol	tr	Aliphatic alcohol
Tricyclene	0.01	Monoterpene
α -Thujene	0.59	Monoterpene
α -Pinene	2.35	Monoterpene
α -Fenchene	0.01	Monoterpene
Camphene	0.07	Monoterpene
Sabinene	2.23	Monoterpene
β -Pinene	13.35	Monoterpene
6-Methyl-5-hepten-2-one	0.02	Aliphatic ketone
Myrcene	1.52	Monoterpene
α -Phellandrene	0.05	Monoterpene
Octanal	0.02	Aliphatic aldehyde
Δ^3 -Carene	0.01	Monoterpene
α -Terpinene	0.28	Monoterpene
<i>para</i> -Cymene	0.66	Monoterpene
1,8-Cineole	0.13	Monoterpenic ether
β -Phellandrene	0.34	Monoterpene
Limonene	55.13	Monoterpene
(<i>Z</i>)- β -Ocimene	0.06	Monoterpene
(<i>E</i>)- β -Ocimene	0.13	Monoterpene
γ -Terpinene	11.12	Monoterpene
<i>cis</i> -Sabinene hydrate	0.03	Monoterpenic alcohol
Terpinolene	0.52	Monoterpene
<i>trans</i> -Sabinene hydrate	0.04	Monoterpenic alcohol
Linalool	0.16	Monoterpenic alcohol
Nonanal	0.02	Aliphatic aldehyde
<i>cis</i> -Limonene oxide	0.03	Monoterpenic ether
<i>trans</i> -Limonene oxide	0.02	Monoterpenic ether
Epoxyterpinolene	0.02	Monoterpenic ether
Citronellal	0.04	Monoterpenic aldehyde
Borneol	0.01	Monoterpenic alcohol
Isoneral	0.01	Monoterpenic aldehyde
α -Phellandren-8-ol	0.01	Monoterpenic alcohol
Terpinen-4-ol	0.10	Monoterpenic alcohol
Isogeranial	0.02	Monoterpenic aldehyde
α -Terpineol	0.24	Monoterpenic alcohol
γ -Terpineol	0.01	Monoterpenic alcohol
Decanal	0.07	Aliphatic aldehyde
2,3-Epoxyneral?	0.03	Monoterpenic aldehyde
Nerol	0.15	Monoterpenic alcohol

2,3-Epoxygeranial?	0.06	Monoterpenic aldehyde
Neral	1.08	Monoterpenic aldehyde
Geraniol	0.07	Monoterpenic alcohol
Unknown	0.01	Unknown
Geranial	1.74	Monoterpenic aldehyde
Unknown	0.02	Oxygenated monoterpene
Undecanal	0.02	Aliphatic aldehyde
δ -Elemene	0.06	Sesquiterpene
Citronellyl acetate	0.03	Monoterpenic ester
Neryl acetate	0.89	Monoterpenic ester
Geranyl acetate	0.20	Monoterpenic ester
β -Elemene	0.09	Sesquiterpene
Dodecanal	0.04	Aliphatic aldehyde
β -Caryophyllene	0.47	Sesquiterpene
<i>cis</i> - α -Bergamotene	0.05	Sesquiterpene
α -Santalene	0.02	Sesquiterpene
γ -Elemene	0.02	Sesquiterpene
<i>trans</i> - α -Bergamotene	0.81	Sesquiterpene
α -Humulene	0.05	Sesquiterpene
β -Santalene	0.05	Sesquiterpene
(<i>E</i>)- β -Farnesene	0.05	Sesquiterpene
Germacrene D	0.05	Sesquiterpene
γ -Curcumene	0.03	Sesquiterpene
<i>trans</i> - β -Bergamotene	0.05	Sesquiterpene
α -Selinene	0.01	Sesquiterpene
Bicyclogermacrene	0.01	Sesquiterpene
(3 <i>Z</i> ,6 <i>E</i>)- α -Farnesene	0.05	Sesquiterpene
(<i>Z</i>)- α -Bisabolene	0.12	Sesquiterpene
β -Bisabolene	1.19	Sesquiterpene
(3 <i>E</i> ,6 <i>E</i>)- α -Farnesene	0.14	Sesquiterpene
(<i>Z</i>)- γ -Bisabolene	0.02	Sesquiterpene
Selina-4(15),7(11)-diene	0.01	Sesquiterpene
(<i>E</i>)- α -Bisabolene	0.04	Sesquiterpene
Germacrene B	0.11	Sesquiterpene
Caryophyllene oxide	0.04	Sesquiterpenic ether
Alismol	0.04	Sesquiterpenic alcohol
Unknown	0.02	Sesquiterpenic alcohol
Unknown	0.04	Oxygenated sesquiterpene
Unknown	0.04	Oxygenated sesquiterpene
α -Bisabolol	0.07	Sesquiterpenic alcohol
Herniarin	0.15	Coumarin
(2 <i>E</i> ,6 <i>Z</i>)-Farnesal	0.02	Sesquiterpenic aldehyde
(2 <i>E</i> ,6 <i>E</i>)-Farnesal	0.02	Sesquiterpenic aldehyde
Myristic acid	0.03	Aliphatic acid
Hexadecanal	0.02	Aliphatic aldehyde

Citropten	0.37	Furanocoumarin
Palmitic acid	0.10	Aliphatic acid
Bergapten	0.18	Furanocoumarin
Linoleic acid	0.05	Aliphatic acid
Oleic acid	0.05	Aliphatic acid
Stearic acid	0.05	Aliphatic acid
Isopimpinellin	0.11	Furanocoumarin
Heraclenin	0.13	Furanocoumarin
Unknown	0.62	Coumarin
Consolidated total	99.45	

tr: The compound has been detected below 0.005% of the total signal


Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

Bracketed value (xx): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

2-Methyl-3-buten-2-ol	Column DB-WAX			Column DB-5		
	1.49	1015.6	0.01	0.50	607.2	tr
Tricyclene	1.19	972.1	0.01	2.83	919.2	0.01
α-Thujene	1.36	1000.3	0.60	2.94	926.5	0.59
α-Pinene	1.30	990.9	2.37	3.01	931.4	2.35
α-Fenchene	1.56	1022.4	0.01	3.20*	943.9	[0.08]
Camphene	1.62	1028.4	0.07	3.20*	943.9	[0.08]
Sabinene	2.19	1083.9	2.23	3.64*	973.5	[15.48]
β-Pinene	2.02	1067.6	13.35	3.64*	973.5	[15.48]
6-Methyl-5-hepten-2-one	4.91	1296.9	0.03	3.85	988.0	0.02
Myrcene	2.77	1134.3	1.53	3.94	993.6	1.52
α-Phellandrene	2.67	1126.1	0.05	4.07	1002.6	0.05
Octanal	4.29	1250.8	0.02	4.08	1003.3	0.02
Δ ³ -Carene	2.47	1111.0	0.01	4.12	1005.6	0.01
α-Terpinene	2.84	1139.8	0.28	4.27	1015.4	0.28
para-Cymene	3.96	1226.2	0.67	4.39	1023.0	0.66
1,8-Cineole	3.19	1166.9	0.13	4.52*	1031.0	[55.26]
β-Phellandrene	3.17	1165.5	0.34	4.52*	1031.0	[55.26]
Limonene	3.12	1161.9	55.13	4.52*	1031.0	[55.26]
(Z)-β-Ocimene	3.70*	1207.1	[11.26]	4.68	1041.2	0.06
(E)-β-Ocimene	3.85	1218.6	0.14	4.83	1051.1	0.13
γ-Terpinene	3.70*	1207.1	[11.26]	4.97	1059.7	11.12
cis-Sabinene hydrate	6.75	1427.3	0.04	5.06	1065.5	0.03
Terpinolene	4.14	1239.5	0.52	5.40	1087.3	0.52
trans-Sabinene hydrate	7.80	1506.9	0.04	5.53	1095.8	0.04
Linalool	7.91	1515.6	0.16	5.63	1101.9	0.16
Nonanal	5.72	1351.9	0.01	5.69	1105.8	0.02
cis-Limonene oxide	6.25	1390.4	0.02	6.08	1131.1	0.03
trans-Limonene oxide	6.42	1402.8	0.02	6.15	1135.9	0.02
Epoxyterpinolene	6.55	1412.7	0.02	6.28	1144.5	0.02
Citronellal	6.84	1434.7	0.04	6.44	1154.9	0.04
Borneol	9.60*	1650.0	[0.29]	6.56	1162.5	0.01
Isoneral	7.68	1497.9	0.02	6.61	1165.9	0.01
α-Phellandren-8-ol	9.99*	1682.0	[1.16]	6.62	1166.3	0.01
Terpinen-4-ol	8.39	1553.4	0.11	6.75	1175.0	0.10
Isogeranial	8.03	1525.1	0.02	6.90	1185.0	0.02
α-Terpineol	9.60*	1650.0	[0.29]	6.97	1189.3	0.24
γ-Terpineol	9.68	1656.5	0.01	7.09	1197.2	0.01
Decanal	7.14	1457.4	0.08	7.27	1208.6	0.07

2,3-Epoxyneral?				7.49	1224.2	0.03
Nerol	10.88	1757.4	0.16	7.59	1231.1	0.15
2,3-Epoxygeranial?				7.65	1234.8	0.06
Neral	9.29*	1624.6	[1.11]	7.76	1242.2	1.08
Geraniol	11.45	1806.2	0.07	8.01	1259.7	0.07
Unknown CIAU III [m/z 43, 128 (61), 79 (60), 127 (52), 58 (50)...]				8.14	1268.4	0.01
Geranial	9.92*	1676.3	[1.75]	8.21	1273.6	1.74
Unknown CIAU V [m/z 95, 67 (45), 41 (42), 110 (42), 43 (41), 59 (36)]	12.28	1880.8	0.02	8.32	1281.2	0.02
Undecanal	8.52	1563.1	0.01	8.77	1308.7	0.02
δ-Elemene	6.81	1432.4	0.05	9.17	1336.9	0.06
Citronellyl acetate	9.29*	1624.6	[1.11]	9.46	1357.3	0.03
Neryl acetate	10.02*	1684.6	[0.99]	9.61	1368.0	0.89
Geranyl acetate	10.38*	1714.8	[0.20]	9.87	1386.9	0.20
β-Elemene	8.27*	1543.8	[0.86]	9.93	1391.0	0.09
Dodecanal	9.83	1669.4	0.04	10.20	1410.7	0.04
β-Caryophyllene	8.24	1541.0	0.47	10.26*	1414.6	[0.52]
cis-α-Bergamotene	8.05*	1526.3	[0.08]	10.26*	1414.6	[0.52]
α-Santalene	8.05*	1526.3	[0.08]	10.32	1419.1	0.02
γ-Elemene	8.86	1590.0	0.02	10.50	1432.5	0.02
trans-α- Bergamotene	8.27*	1543.8	[0.86]	10.54	1436.1	0.81
α-Humulene	9.10	1608.8	0.05	10.71	1448.8	0.05
β-Santalene	8.99	1600.6	0.05	10.87*	1460.4	[0.10]
(E)-β-Farnesene	9.39*	1633.2	[0.16]	10.87*	1460.4	[0.10]
Germacrene D	9.60*	1650.0	[0.29]	11.09	1477.1	0.05
γ-Curcumene	9.55	1646.1	0.05	11.13	1480.0	0.03
trans-β- Bergamotene	9.39*	1633.2	[0.16]	11.18	1483.6	0.05
α-Selinene	9.75*	1662.3	[0.03]	11.27*	1490.7	[0.03]
Bicyclgermacrene	9.92*	1676.3	[1.75]	11.27*	1490.7	[0.03]
(3Z,6E)-α- Farnesene	10.02*	1684.6	[0.99]	11.40	1500.2	0.05
(Z)-α-Bisabolene	10.18	1698.0	0.06	11.45	1504.1	0.12
β-Bisabolene	9.99*	1682.0	[1.16]	11.52	1509.7	1.19
(3E,6E)-α- Farnesene	10.35	1711.6	0.17	11.54	1511.1	0.14
(Z)-γ-Bisabolene	9.75*	1662.3	[0.03]	11.58	1514.7	0.02
Selina-4(15),7(11)- diene	10.38*	1714.8	[0.20]	11.80	1531.9	0.01

(E)- α -Bisabolene	10.54	1728.7	0.05	11.95	1543.9	0.04
Germacrene B	10.91	1759.9	0.11	12.05	1551.2	0.11
Caryophyllene oxide	12.56	1905.6	0.03	12.36	1575.8	0.04
Alismol	15.52	2192.1	0.05	12.96	1624.5	0.04
Unknown cadinol analog II [m/z 95, 121 (73), 43 (57), 79 (43), 161 (43), 109 (40)... 204 (35), 222 (2)]	15.00	2139.0	0.03	13.26	1648.8	0.02
Unknown CILI I [m/z 94, 43 (89), 41 (67), 122 (46), 69 (41)...222]	14.68	2107.3	0.03	13.29	1651.8	0.04
Unknown CILI II [m/z 69, 95 (100), 41 (89), 109 (68), 67 (61)...222]	15.79	2219.5	0.04	13.46	1665.9	0.04
α -Bisabolol	15.24	2163.9	0.07	13.68	1684.2	0.07
Herniarin	20.88	2799.6	0.17	13.95	1706.5	0.15
(2E,6Z)-Farnesal				14.03	1713.1	0.02
(2E,6E)-Farnesal	15.63	2202.7	0.02	14.35	1741.6	0.02
Myristic acid				14.65	1767.6	0.03
Hexadecanal				15.10	1806.8	0.02
Citropten	23.54	3152.6	0.39	16.76	1961.1	0.37
Palmitic acid				16.82	1966.7	0.10
Bergapten				17.50	2032.3	0.18
Linoleic acid				18.50	2132.7	0.05
Oleic acid				18.55	2138.7	0.05
Stearic acid				18.82	2166.4	0.05
Isopimpinellin				19.23	2209.5	0.11
Heraclenin				21.36	2445.2	0.13
Unknown CIAU XIV [m/z 205, 206 (34), 259 (34), 245 (26), 122 (24)... 328 (12)]				24.33	2813.2	0.62
Total reported		98.18%			99.03%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index