

Date : 2026-06-30

CERTIFICATE OF ANALYSIS - GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 26F02-PTH01

Customer Identification : Sandalwood Australian - Australia - S20117

Type : Essential Oil

Source : *Santalum spicatum*

Customer : Plant Therapy

Checked and approved by:

Sylvain Mercier, M. Sc., Chimiste 2014-005

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays. The compliance status of the sample is provided to facilitate the reading of the report. The client remains ultimately responsible for reviewing the results presented within this report and to establish compliance of the tested batch against relevant quality criteria.

This report is an update of the version first issued on 2026-06-04 to make a modification in the sample identification section.

GAS CHROMATOGRAPHIC ANALYSIS

Method : PC-MAT-014 - Analysis of the composition of an essential oil or other volatile liquide by FAST GC-FID

***ISO**

Results : See analysis summary (next page)

Analyst : Sylvain Mercier, M. Sc., Chimiste 2014-005

Date : 2026-06-03

PHYSICOCHEMICAL DATA

Refractive index : 1.505 ± 0.0003 (20 °C)

Method : PC-MAT-016 - Measure of the refractive index of a liquid.

Analyst : Cindy Caron B. Sc.

Date : 2026-06-03

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Furfural	0.02	Furan
Santene	0.12	Normonoterpene
Unknown	0.01	Normonoterpene
Tricyclene	0.01	Monoterpene
5-Methylfurfural	0.01	Furan
6-Methyl-5-hepten-2-one	0.01	Aliphatic ketone
<i>para</i> -Cymene	0.01	Monoterpene
Limonene	0.01	Monoterpene
Terpinolene	0.01	Monoterpene
<i>para</i> -Cymenene	0.01	Monoterpene
Unknown	0.01	Unknown
Limona ketone	0.01	Normonoterpenic ketone
4-Methylacetophenone	0.02	Simple phenolic
Unknown	0.06	Terpene derivative
Teresantalic acid	0.22	Monoterpenic acid
Unknown	0.07	Terpenic aldehyde
Tricycloekasantalal	0.16	Terpenic aldehyde
(1S,5S,6R)-2,6-Dimethylbicyclo[3.1.1]hept-2-ene-6-propanal?	0.05	Terpenic aldehyde
7-epi-Sesquithujene	0.04	Sesquiterpene
γ -4-Dimethylbenzenebutyral	0.09	Simple phenolic
α -Cedrene	0.25	Sesquiterpene
Sesquithujene	0.12	Sesquiterpene
β -Cedrene	0.04	Sesquiterpene
<i>cis</i> - α -Bergamotene	0.09	Sesquiterpene
α -Santalene	0.83	Sesquiterpene
<i>trans</i> - α -Bergamotene	0.31	Sesquiterpene
Unknown	0.01	Sesquiterpene
epi- β -Santalene	0.54	Sesquiterpene
Geranylacetone	0.07	Monoterpenic ketone
α -Acoradiene	0.19	Sesquiterpene
(<i>E</i>)- β -Farnesene	0.16	Sesquiterpene
β -Santalene	0.76	Sesquiterpene
β -Acoradiene	0.06	Sesquiterpene
10-epi- β -Acoradiene	0.13	Sesquiterpene
γ -Curcumene	0.45	Sesquiterpene
Unknown	0.35	Sesquiterpene
ar-Curcumene	0.62	Sesquiterpene
β -Selinene	0.08	Sesquiterpene
α -Selinene	0.08	Sesquiterpene

Unknown	0.10	Sesquiterpene
Unknown	0.36	Sesquiterpene
α -Alaskene	0.03	Sesquiterpene
Unknown	0.02	Sesquiterpene
β -Bisabolene	0.35	Sesquiterpene
(3E,6E)- α -Farnesene	0.11	Sesquiterpene
β -Curcumene	1.01	Sesquiterpene
β -Sesquiphellandrene	0.29	Sesquiterpene
8,14-Cedranoxide	0.08	Sesquiterpenic ether
(E)- α -Bisabolene	0.13	Sesquiterpene
(E)-Nerolidol	2.45	Sesquiterpenic alcohol
Unknown	0.06	Oxygenated sesquiterpene
Unknown	0.14	Oxygenated sesquiterpene
Dendrolasin	1.43	Sesquiterpenic ether
Helifolen-12-al A	0.18	Sesquiterpenic aldehyde
Guaiol	0.19	Sesquiterpenic alcohol
α -Cedrol	0.02	Sesquiterpenic alcohol
Helifolen-12-al B	0.02	Sesquiterpenic aldehyde
Unknown	0.18	Oxygenated sesquiterpene
Rosifoliol	0.05	Sesquiterpenic alcohol
α -Acorenol	0.27	Sesquiterpenic alcohol
γ -Eudesmol	0.25	Sesquiterpenic alcohol
β -Acorenol	0.18	Sesquiterpenic alcohol
β -Eudesmol	0.21	Sesquiterpenic alcohol
Unknown	0.52	Oxygenated sesquiterpene
α -Bisabolol oxide B, epimer 2	0.10	Sesquiterpenic alcohol
Unknown	0.55	Oxygenated sesquiterpene
Unknown	[1.09]	Oxygenated sesquiterpene
epi- β -Bisabolol	[1.09]	Sesquiterpenic alcohol
Bulnesol	0.51	Sesquiterpenic alcohol
Unknown	0.69	Oxygenated sesquiterpene
epi-Cyclosantalal	0.37	Sesquiterpenic aldehyde
β -Bisabolol	[2.52]	Sesquiterpenic alcohol
(E)- α -Santalal	[2.52]	Sesquiterpenic aldehyde
Cedr-8-en-13-ol	0.88	Sesquiterpenic alcohol
(Z)- α -Santalol	15.75	Sesquiterpenic alcohol
α -Bisabolol	0.59	Sesquiterpenic alcohol
epi- α -Bisabolol	6.02	Sesquiterpenic alcohol
(Z)- α -trans-Bergamotol	3.75	Sesquiterpenic alcohol
Unknown	[0.09]	Oxygenated sesquiterpene
(E)- α -Santalol	0.34	Sesquiterpenic alcohol
Unknown	[0.09]	Oxygenated sesquiterpene
Lanceoloxide isomer I	0.16	Sesquiterpenic ether
(Z)-epi- β -Santalol	1.46	Sesquiterpenic alcohol
(E)- α -trans-Bergamotol	0.92	Sesquiterpenic alcohol

Unknown	0.15	Oxygenated sesquiterpene
(Z)- β -Santalol	5.33	Sesquiterpenic alcohol
(Z)-Nuciferol	7.85	Sesquiterpenic alcohol
(Z)- γ -Curcumen-12-ol	5.85	Sesquiterpenic alcohol
(2E,6E)-Farnesol	8.03	Sesquiterpenic alcohol
(E)- β -Santalol	0.57	Sesquiterpenic alcohol
(2E,6E)-Farnesal	0.10	Sesquiterpenic aldehyde
Unknown	1.32	Oxygenated sesquiterpene
Unknown	0.92	Oxygenated sesquiterpene
Curcumen-12-ol analog	1.28	Sesquiterpenic alcohol
Unknown	1.00	Oxygenated sesquiterpene
(Z)- β -Curcumen-12-ol	6.48	Sesquiterpenic alcohol
(Z)-Lanceol	2.59	Sesquiterpenic alcohol
12-Hydroxy-(Z)-sesquicineole	0.12	Sesquiterpenic alcohol
Unknown	0.96	Oxygenated sesquiterpene
Unknown	0.79	Oxygenated sesquiterpene
Unknown	0.31	Oxygenated sesquiterpene
Bisabola-2,7(Z),10(Z)-trien-13-ol?	0.62	Oxygenated sesquiterpene
Unknown	0.34	Oxygenated sesquiterpene
Unknown	0.14	Oxygenated sesquiterpene
Unknown	0.17	Oxygenated sesquiterpene
Unknown	0.04	Oxygenated sesquiterpene
Unknown	0.05	Oxygenated sesquiterpene
Unknown	0.04	Unknown
(2E,6E)-Farnesyl acetate	0.07	Sesquiterpenic ester
Unknown	0.03	Unknown
Unknown	0.09	Oxygenated sesquiterpene
Unknown	0.01	Unknown
Unknown	0.03	Unknown
Consolidated total	95.79	

tr: The compound has been detected below 0.005% of the total signal

Note: no correction factor was applied


About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.


Bracketed value ([xx]): A bracketed percent value indicate that two or more compound percentage could not be solved due to coelution.

This page was intentionally left blank. The following pages present the complete data of the analysis.

DB-WAX



DB-5



FULL ANALYSIS DATA

Furfural	Column DB-WAX			Column DB-5		
	6.56	1417.3	0.01	1.72	827.9	0.02
Santene	1.03	950.0	0.11	2.36	882.6	0.12
Unknown ABBA I [m/z 79, 93 (66), 94 (52), 91 (39), 77 (37), 122 (31)]	1.34	1000.8	0.01	2.55	898.8	0.01
Tricyclene	1.17	972.3	0.01	2.83	918.4	0.01
5-Methylfurfural	7.82	1513.1	0.01	3.44	960.0	0.01
6-Methyl-5-hepten-2-one	4.94	1298.3	0.01	3.85	987.9	0.01
<i>para</i> -Cymene				4.38	1022.4	0.01
Limonene	3.02	1156.6	0.01	4.45	1026.9	0.01
Terpinolene	4.16	1242.5	0.01	5.36	1085.2	0.01
<i>para</i> -Cymenene	6.09	1382.7	0.01	5.40	1087.3	0.01
Unknown PIMA 3 [m/z 79, 94 (87), 77 (25), 91 (21), 93 (16), 95 (12), 138 (8)]				5.63	1102.2	0.01
Limona ketone	7.61	1497.2	0.01	6.03	1128.0	0.01
4-Methylacetophenone	10.21	1705.5	0.03	6.81	1179.0	0.02
Unknown SASP II [m/z 93, 91 (89), 94 (85), 105 (60)... 176? (10)]	9.00	1605.8	0.11	7.41	1218.8	0.06
Teresantalic acid	15.29	2176.6	0.26	8.33	1281.9	0.22
Unknown SASP III [m/z 121, 93 (77), 79 (43), 91 (43), 145 (35)... 178 (8)]				9.03	1326.7	0.07
Tricycloekasantalal	10.06	1693.1	0.18	9.11	1332.5	0.16
(1S,5S,6R)-2,6-Dimethylbicyclo[3.1.1]hept-2-ene-6-propanal?	10.09*†	1696.1	[0.80]	9.32	1347.9	0.05
7-epi-Sesquithujene	7.65	1500.3	0.02	9.93	1391.1	0.04
γ -4-Dimethylbenzenebutyral				10.01	1396.5	0.09
α -Cedrene	7.76	1508.6	0.23	10.14	1405.8	0.25
Sesquithujene	7.94	1522.1	0.16	10.16	1407.2	0.12
β -Cedrene	8.10	1535.3	0.04	10.24*†	1413.1	[0.07]
<i>cis</i> - α -Bergamotene	8.02*	1528.4	[0.86]	10.24*†	1413.1	[0.07]
α -Santalene	8.02*	1528.4	[0.86]	10.32	1419.2	0.83
<i>trans</i> - α -Bergamotene	8.22	1544.6	0.34	10.54	1435.8	0.31
Unknown SASP IV [m/z 93, 91 (80), 79 (68), 123 (68), 121 (56)... 204 (3)]				10.61	1441.0	0.01
epi- β -Santalene	8.76	1587.3	0.51	10.68	1446.3	0.54
Geranylacetone	11.40	1808.3	0.05	10.78	1453.9	0.07
α -Acoradiene	9.10	1614.3	0.23	10.82	1457.2	0.19

(E)-β-Farnesene	9.35	1634.7	0.16	10.86*	1459.6	[1.07]
β-Santalene	8.95	1602.2	0.76	10.86*	1459.6	[1.07]
β-Acoradiene	9.18	1620.8	0.06	10.86*	1459.6	[1.07]
10-epi-β-Acoradiene	9.31	1631.3	0.09	11.00	1470.3	0.13
γ-Curcumene	9.49	1646.6	0.45	11.13*	1480.0	[0.80]
Unknown SASP V [m/z 119, 91 (24), 105 (16), 121 (16), 93 (15), 117 (15), 41 (14), 132 (14)... 204 (4)]				11.13*	1480.0	[0.80]
ar-Curcumene	10.44	1724.9	0.62	11.16*	1482.7	[0.78]
β-Selinene	9.62	1657.0	0.08	11.16*	1482.7	[0.78]
α-Selinene	9.69	1663.3	0.08	11.27*	1490.9	[0.11]
Unknown SASP VI [m/z 119, 105 (51), 91 (31), 132 (30), 121 (26), 145 (23), 134 (20)... 204 (2)]	11.73	1837.2	0.10	11.27*	1490.9	[0.11]
Unknown SASP VII [m/z 119, 93 (52), 105 (38), 91 (33), 41 (31), 79 (25)... 204 (2)]	11.71*	1835.5	[0.34]	11.37†	1498.4	0.25
α-Alaskene	9.74	1667.2	0.03	11.45*	1504.4	[0.16]
Unknown CULO XII [m/z 119, 91 (14), 120 (10), 117 (9)... 200? (2)]	11.59	1825.3	0.02	11.45*	1504.4	[0.16]
β-Bisabolene	9.93	1682.9	0.26	11.52	1509.5	0.35
(3E,6E)-α-Farnesene	10.30	1713.1	0.11	11.56*	1512.7	[1.13]
β-Curcumene	10.09*†	1696.1	[0.80]	11.56*	1512.7	[1.13]
β-Sesquiphellandrene	10.39	1721.3	0.25	11.70	1523.6	0.29
8,14-Cedranoxide	11.32	1801.3	0.03	11.86	1536.2	0.08
(E)-α-Bisabolene	10.49	1729.9	0.10	11.96	1544.0	0.13
(E)-Nerolidol	13.58	2007.6	2.29	12.24	1566.6	2.45
Unknown SASP VIII [m/z 43, 125 (78), 107 (43), 132 (34), 67 (31)... 220 (3)]	11.71*	1835.5	[0.34]	12.28	1569.7	0.06
Unknown SASP IX [m/z 43, 125 (91), 107 (39), 41 (24), 67 (24), 93 (21)... 220 (4)]	11.80	1844.3	0.17	12.31	1572.3	0.14
Dendrolasin	12.31	1890.0	1.33	12.35	1575.5	1.43
Helifolen-12-al A	12.57	1913.5	0.09	12.53	1589.1	0.18
Guaiol	13.89	2038.0	0.19	12.60*	1594.9	[0.29]
α-Cedrol	13.96	2044.8	0.02	12.60*	1594.9	[0.29]
Helifolen-12-al B	13.02	1955.6	0.03	12.65	1598.8	0.02
Unknown SASP X [m/z 81, 41 (40), 69 (36), 138 (27), 43 (26), 110 (25)... 222 (1)]				12.78	1609.3	0.18

Rosifoliol	14.05	2053.0	0.19	12.84	1614.5	0.05
α -Acorenol	14.20	2067.8	0.26	12.92	1620.8	0.27
γ -Eudesmol	14.59	2106.1	0.22	12.95	1623.5	0.25
β -Acorenol	14.53*	2100.3	[2.41]	13.00	1627.2	0.18
β -Eudesmol	15.13*	2160.1	[0.19]	13.20	1643.8	0.21
Unknown SASP XI [m/z 91, 43 (89), 93 (84), 81 (81), 105 (79), 79 (70), 67 (68), 41 (68)...]				13.23	1647.0	0.52
α -Bisabolol oxide B, epimer 2	14.24	2071.4	0.06	13.30	1652.4	0.10
Unknown SAAL V [m/z 121, 93 (96), 95 (96), 41 (65), 82 (63), 69 (62), 67 (59)... 222 (8)]	14.00	2048.6	0.60	13.32	1654.6	0.55
Unknown SAAL VI [m/z 67, 119 (70), 82 (42), 91 (37), 95 (36), 121 (34), 93 (32)...]	14.41*	2088.5	[0.87]	13.43*	1663.5	[1.60]
epi- β -Bisabolol	14.53*	2100.3	[2.41]	13.43*	1663.5	[1.60]
Bulnesol	15.03	2150.1	0.51	13.43*	1663.5	[1.60]
Unknown CILI II [m/z 69, 95 (100), 41 (89), 109 (68), 67 (61)...222]	15.74	2222.0	0.49	13.47	1666.6	0.69
epi-Cyclosantalal	14.32	2079.8	0.37	13.50*†	1669.5	[2.42]
β -Bisabolol	14.53*	2100.3	[2.41]	13.50*†	1669.5	[2.42]
(<i>E</i>)- α -Santalal	14.41*	2088.5	[0.87]	13.52*†	1671.1	[0.48]
Cedr-8-en-13-ol	16.61*	2314.2	[8.54]	13.63*	1679.6	[16.63]
(<i>Z</i>)- α -Santalol	16.40	2291.7	15.75	13.63*	1679.6	[16.63]
α -Bisabolol	15.13*	2160.1	[0.19]	13.69	1684.7	0.59
epi- α -Bisabolol	15.21	2169.0	5.37	13.73	1688.4	6.02
(<i>Z</i>)- α -trans-Bergamotol	16.49	2302.1	3.75	13.79*†	1693.3	[3.38]
Unknown SASP XII [m/z 43, 93 (68), 41 (61), 69 (58), 125 (54), 107 (50)...]				13.83*†	1696.5	[0.80]
(<i>E</i>)- α -Santalol	16.71	2325.3	0.34	13.83*†	1696.5	[0.80]
Unknown SAUN VI [m/z 119, 162 (90), 105 (54), 145 (51), 132 (37), 147 (40), 161 (38), 220 (34)]				13.83*†	1696.5	[0.80]
Lanceoloxide isomer I	13.92	2040.3	0.16	13.90*	1702.7	[1.63]
(<i>Z</i>)-epi- β -Santalol	16.97	2353.4	1.46	13.90*	1702.7	[1.63]
(<i>E</i>)- α -trans-Bergamotol	17.50	2411.4	0.75	13.96	1707.4	0.92
Unknown SASP XIV [m/z 43, 189 (94), 81 (65), 93 (62), 95 (53), 119 (49)... 207 (43)...]	15.36	2183.6	0.15	14.08*	1718.0	[5.84]

(Z)- β -Santalol	17.11	2369.2	5.33	14.08*	1718.0	[5.84]
(Z)-Nuciferol	17.97	2464.7	7.85	14.22*	1729.6	[21.74]
(Z)- γ -Curcumen-12-ol	17.27	2386.4	5.85	14.22*	1729.6	[21.74]
(2E,6E)-Farnesol	16.61*	2314.2	[8.54]	14.22*	1729.6	[21.74]
(E)- β -Santalol	17.44*	2404.4	[0.99]	14.34*	1740.2	[1.99]
(2E,6E)-Farnesal	15.58	2205.9	0.10	14.34*	1740.2	[1.99]
Unknown SAAL X [m/z 91, 93 (65), 79 (57), 105 (49), 119 (47), 121 (44)...218 (1)]	18.06	2474.6	1.32	14.34*	1740.2	[1.99]
Unknown SAUN VII [m/z 119, 93 (73), 110 (64), 111 (62), 95 (50), 81 (45), 109 (943), 105 (43)... 220 (17), 238 (20)]	16.55	2308.1	0.92	14.44*	1749.5	[2.20]
Curcumen-12-ol analog	17.44*	2404.4	[0.99]	14.44*	1749.5	[2.20]
Unknown SAUN VIII [m/z 119, 93 (70), 111 (61), 110 (60), 109 (45), 95 (43)... 220 (17), 238 (16)]	16.19	2270.1	1.13	14.48	1752.9	1.00
(Z)- β -Curcumen-12-ol	17.69*	2433.0	[7.20]	14.56	1759.8	6.48
(Z)-Lanceol	17.74	2437.7	2.32	14.61	1764.0	2.59
12-Hydroxy-(Z)-sesquicineole				14.64	1766.6	0.12
Unknown SASP XV [m/z 93, 107 (80), 43 (74), 91 (55), 41 (49), 79 (48), 119 (48)... 236 (3)]				14.68	1769.8	0.96
Unknown SASP XVI [m/z 93, 119 (89), 91 (63), 79 (63), 132 (53), 41 (52)... 236 (3)]	17.69*	2433.0	[7.20]	14.80	1780.2	0.79
Unknown SASP XVII [m/z 107, 93 (96), 79 (90), 55 (78), 41 (76)... 236 (6)]				14.86	1785.8	0.31
Bisabola-2,7(Z),10(Z)-trien-13-ol?				14.95	1793.8	0.62
Unknown SASP XIX [m/z 119, 105 (78), 145 (60), 91 (50), 121 (44), 93 (38)... 216 (7)]	19.47	2638.8	0.23	15.06	1802.8	0.34
Unknown SASP XX [m/z 119, 145 (62), 105 (52), 91 (52), 121 (38)...]				15.22	1818.0	0.14
Unknown SASP XXI [m/z 43, 81 (61), 41 (49), 93 (47), 119 (39), 141 (35)...]				15.29	1823.7	0.17

Unknown SASP XXII [m/z 119, 43 (61), 132 (49), 105 (35), 141 (32)...]				15.33	1827.7	0.04
Unknown SASP XXIII [m/z 141, 43 (87), 123 (55), 81 (37)... 236 (t)]				15.36	1830.3	0.05
Unknown SASP XXV [m/z 132, 119 (99), 121 (75), 93 (58), 105 (44), 43 (41)...]				15.44	1838.0	0.04
(2E,6E)-Farnesyl acetate	15.68	2216.1	0.10	15.51	1844.1	0.07
Unknown SASP XXIV [m/z 150, 108 (94), 119 (85), 93 (75), 109 (68), 91 (57)...]				15.72	1863.7	0.03
Unknown SAAU III [m/z 93, 43 (99), 109 (95), 68 (80), 95 (77), 81 (69), 110 (68)...220 (7)]	21.23	2856.0	0.18	16.36	1922.4	0.09
Unknown SASP XXVI [m/z 94, 93 (37), 79 (30), 122 (26), 91 (22)...]				17.02	1985.8	0.01
Unknown SASP XXVII [m/z 69, 81 (54), 93 (36), 41 (33), 121 (23), 95 (20)...]				18.56	2139.7	0.03
Total reported			87.63%		96.30%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, only the first one is taken into account in the consolidated total

t: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index