

Date : November 26, 2020

CERTIFICATE OF ANALYSIS – GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 20K20-PTH11


Customer identification : Cedarwood Texas Crude - CB8105206R

Type : Essential oil

Source : *Juniperus mexicana*

Customer : Plant Therapy

ANALYSIS

Method: PC-MAT-014  - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID (in French); identifications validated by GC-MS.

Analyst : Fanny Charlier, B. Sc., chimiste à l'entraînement

Analysis date : November 23, 2020

Checked and approved by :

Alexis St-Gelais, M. Sc., chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.

PHYSICOCHEMICAL DATA

Physical aspect: Faintly yellow viscous liquid with white viscous precipitate

Refractive index: 1.5068 ± 0.0003 (20 °C; method PC-MAT-016)

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY – CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

Identification	%	Class
Unknown	0.02	Monoterpene
α -Pinene	0.11	Monoterpene
Camphene	tr	Monoterpene
α -Fenchene	0.02	Monoterpene
Thuja-2,4(10)-diene	0.03	Monoterpene
α -Methylstyrene	0.02	Normonoterpene
6-Methyl-5-hepten-2-one	0.01	Aliphatic ketone
Myrcene	0.01	Monoterpene
α -Phellandrene	0.01	Monoterpene
Δ^3 -Carene	0.03	Monoterpene
α -Terpinene	0.01	Monoterpene
para-Cymene	0.02	Monoterpene
Limonene	0.01	Monoterpene
γ -Terpinene	0.01	Monoterpene
Terpinolene	tr	Monoterpene
para-Cymenene	0.01	Monoterpene
Linalool	0.01	Monoterpenic alcohol
α -Campholenal	0.01	Monoterpenic aldehyde
<i>trans</i> -Pinocarveol	0.03	Monoterpenic alcohol
Camphor	0.02	Monoterpenic ketone
meta-Mentha-4,6-dien-8-ol	0.02	Monoterpenic alcohol
Pinocamphone	0.02	Monoterpenic ketone
Borneol	0.02	Monoterpenic alcohol
α -Phellandren-8-ol	0.02	Monoterpenic alcohol
Terpinen-4-ol	0.04	Monoterpenic alcohol
meta-Cymen-8-ol	0.01	Monoterpenic alcohol
para-Cymen-8-ol	0.01	Monoterpenic alcohol
α -Terpineol	0.03	Monoterpenic alcohol
Myrtenol	0.05	Monoterpenic alcohol
Verbenone	0.06	Monoterpenic ketone
<i>trans</i> -Carveol	0.01	Monoterpenic alcohol
Carvacrol methyl ether	0.04	Monoterpenic ether
Bornyl acetate	0.01	Monoterpenic ester
Brasila-1,10-diene	0.01	Sesquiterpene
Carvacrol	0.04	Monoterpenic alcohol
α -Terpinyl acetate	0.05	Monoterpenic ester
2-epi- α -Funebrene	0.08	Sesquiterpene
β -Patchoulene	0.02	Sesquiterpene
α -Duprezianene	0.35	Sesquiterpene
7-epi-Sesquithujene?	0.07	Sesquiterpene
β -Elemene	0.32	Sesquiterpene
α -Chamipinene	0.03	Sesquiterpene
β -Funebrene	0.76	Sesquiterpene
α -Cedrene	8.90	Sesquiterpene
β -Duprezianene	0.48	Sesquiterpene

β-Caryophyllene	0.21	Sesquiterpene
β-Cedrene	2.50	Sesquiterpene
cis-Thujopsene	36.24	Sesquiterpene
(Z)-β-Farnesene?	0.03	Sesquiterpene
Isobazzanene	0.08	Sesquiterpene
trans-α-Bergamotene	0.05	Sesquiterpene
Prezizaene	0.08	Sesquiterpene
α-Himachalene	0.10	Sesquiterpene
7,8-Dehydro-α-acoradiene?	0.05	Sesquiterpene
α-Humulene	0.09	Sesquiterpene
α-Acoradiene	0.57	Sesquiterpene
β-Acoradiene	0.30	Sesquiterpene
Thujopsene isomer	0.14	Sesquiterpene
β-Chamigrene	0.64	Sesquiterpene
Unknown	0.04	Sesquiterpene
γ-Himachalene	0.37	Sesquiterpene
Widdra-2,4(14)-diene?	0.14	Sesquiterpene
Unknown	0.22	Sesquiterpene
ar-Curcumene	0.15	Sesquiterpene
Valencene	0.13	Sesquiterpene
Pseudowiddrene	0.72	Sesquiterpene
α-Chamigrene	0.64	Sesquiterpene
β-Himachalene	0.83	Sesquiterpene
α-Cuprenene	0.80	Sesquiterpene
Cuparene	2.01	Sesquiterpene
1,2-Dihydrocuparene	0.20	Sesquiterpene
α-Alaskene	0.71	Sesquiterpene
α-Dehydro-ar-himachalene	0.03	Sesquiterpene
1,4-Dihydrocuparene	0.14	Sesquiterpene
δ-Cadinene	0.30	Sesquiterpene
γ-Dehydro-ar-himachalene	0.10	Sesquiterpene
β-Sesquiphellandrene	0.39	Sesquiterpene
γ-Cuprenene	0.04	Sesquiterpene
Unknown	0.43	Oxygenated sesquiterpene
ar-Himachalene	0.04	Sesquiterpene
δ-Cuprenene epimer I	0.11	Sesquiterpene
Unknown	0.24	Oxygenated sesquiterpene
δ-Cuprenene epimer II	0.21	Sesquiterpene
Unknown	0.03	Oxygenated sesquiterpene
Caryophyllenyl alcohol	0.19	Sesquiterpenic alcohol
Caryophyllene oxide isomer	0.01	Sesquiterpenic ether
Caryophyllene oxide	0.03	Sesquiterpenic ether
allo-Cedrol	0.58	Sesquiterpenic alcohol
α-Cedrol	22.55	Sesquiterpenic alcohol
Widdrol	1.98	Sesquiterpenic alcohol
epi-Cedrol	0.48	Sesquiterpenic alcohol
Unknown	0.39	Oxygenated sesquiterpene
Unknown	0.17	Oxygenated sesquiterpene
α-Acorenol	1.01	Sesquiterpenic alcohol
β-Acorenol	0.26	Sesquiterpenic alcohol
Unknown	0.09	Oxygenated sesquiterpene
Unknown	0.25	Oxygenated sesquiterpene

Unknown	0.48	Oxygenated sesquiterpene
Himachalol	0.42	Sesquiterpenic alcohol
Unknown	0.32	Oxygenated sesquiterpene
Unknown	0.22	Oxygenated sesquiterpene
Cedrenol analog	0.42	Sesquiterpenic alcohol
Cedr-8-en-13-ol	0.20	Sesquiterpenic alcohol
α-Bisabolol	0.35	Sesquiterpenic alcohol
α-Cedrenol	0.16	Sesquiterpenic alcohol
Unknown	0.44	Oxygenated sesquiterpene
Mayurone?	0.07	Norsesquiterpenic ketone
Thujopsenal	0.29	Sesquiterpenic aldehyde
Unknown	0.06	Oxygenated sesquiterpene
Thujopsenal analog	0.07	Sesquiterpenic aldehyde
Unknown	0.07	Oxygenated sesquiterpene
Cedryl acetate	0.10	Sesquiterpenic ester
Unknown	0.05	Oxygenated sesquiterpene
Unknown	0.03	Oxygenated sesquiterpene
Unknown	0.02	Oxygenated sesquiterpene
Unknown	0.09	Oxygenated sesquiterpene
Unknown	0.08	Oxygenated sesquiterpene
Nootkatone analog	0.01	Sesquiterpenic ketone
Consolidated total	93.87%	


tr: The compound has been detected below 0.005% of total signal.


Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

Identification	Column DB-5			Column DB-WAX		
	R.T	R.I	%	R.T	R.I	%
Unknown [m/z 105, 79 (80), 91 (78), 77 (69), 78 (56), 93 (46), 120 (44)... 136 (4)]	2.81	917	0.02	2.21	1103	0.01
α -Pinene	3.00	930	0.11	1.19	991	0.11
Camphene	3.17*	942	0.04	1.49	1027	tr
α -Fenchene	3.17*	942	[0.04]	1.43	1021	0.02
Thuja-2,4(10)-diene	3.28	949	0.03	2.01	1082	0.02
α -Methylstyrene	3.71	978	0.02	4.46	1282	0.02
6-Methyl-5-hepten-2-one	3.86	988	0.01			
Myrcene	3.94	993	0.01			
α -Phellandrene	4.07	1002	0.01			
Δ^3 -Carene	4.15	1007	0.03	2.30	1110	0.03
α -Terpinene	4.26	1014	0.01			
para-Cymene	4.38	1021	0.02	3.72	1225	0.02
Limonene	4.44	1026	0.01	2.86	1156	0.01
γ -Terpinene	4.93	1056	0.01	3.46	1205	0.01
Terpinolene	5.40*	1086	0.02	3.91	1240	tr
para-Cymenene	5.40*	1086	[0.02]	5.88	1382	0.01
Linalool	5.64	1102	0.01	7.67*	1516	0.77
α -Campholenal	5.96	1122	0.01	6.55	1432	0.01
trans-Pinocarveol	6.13	1134	0.03	8.78	1602	0.03
Camphor	6.18	1137	0.02	6.86*	1455	0.10
meta-Mentha-4,6-dien-8-ol	6.32	1146	0.02	8.92*	1614	0.61
Pinocamphone	6.45	1154	0.02	6.92	1459	0.01
Borneol	6.57	1162	0.02	9.30*	1646	0.08
α -Phellandren-8-ol	6.62	1165	0.02	9.74	1681	0.13
Terpinen-4-ol	6.76	1174	0.04	8.11	1550	0.06
meta-Cymen-8-ol	6.87	1181	0.01	11.11	1798	0.04
para-Cymen-8-ol	6.91	1184	0.01	11.07*	1795	0.05
α -Terpineol	6.98	1189	0.03	9.30*	1646	[0.08]
Myrtenol	7.07	1194	0.05	10.38	1736	0.03
Verbenone	7.21	1203	0.06	9.19*	1636	0.70
trans-Carveol	7.44	1219	0.01	11.01	1789	0.01
Carvacrol methyl ether	7.82	1245	0.04	8.16	1554	0.08
Bornyl acetate	8.41	1285	0.01	7.79	1525	0.18
Brasila-1,10-diene	8.70	1305	0.01	5.68	1367	0.02
Carvacrol	8.77	1306	0.04	14.91	2160	0.20
α -Terpinyl acetate	9.36	1348	0.05	9.27	1643	0.19
2-epi- α -Funebrene	9.71*	1373	0.11	6.86*	1455	[0.10]
β -Patchoulene	9.71*	1373	[0.11]	6.52	1429	0.02
α -Duprezianene	9.78	1378	0.35	7.08	1471	0.29
7-epi-Sesquithujene?	9.82	1381	0.07	7.50	1503	0.07
β -Elemene	9.93	1388	0.32	7.96*	1538	2.82

α -Chamipinene	10.01	1394	0.03	7.65*	1514	8.93
β -Funebrene	10.18*	1406	9.96	7.67*	1516	[0.77]
α -Cedrene	10.18*	1406	[9.96]	7.65*	1514	[8.93]
β -Duprezianene	10.27*	1413	3.28	7.83	1528	0.48
β -Caryophyllene	10.27*	1413	[3.28]	8.01*	1543	0.27
β -Cedrene	10.27*	1413	[3.28]	7.96*	1538	[2.82]
<i>cis</i> -Thujopsene	10.48	1429	36.24	8.34	1568	36.35
(<i>Z</i>)- β -Farnesene?	10.51*	1431	0.12	8.82	1606	0.03
Isobazzanene	10.51*	1431	[0.12]	8.13	1552	0.08
<i>trans</i> - α - Bergamotene	10.55	1434	0.05	8.01*	1543	[0.27]
Prezizaene	10.60	1438	0.08	8.38	1571	0.06
α -Himachalene	10.65*	1442	0.59	8.42	1574	0.10
7,8-Dehydro- α - acoradiene?	10.65*	1442	[0.59]	9.10	1629	0.05
α -Humulene	10.74	1448	0.09	8.85	1609	0.03
α -Acoradiene	10.88	1458	0.57	8.92*	1614	[0.61]
β -Acoradiene	10.92	1461	0.30	9.00*	1621	0.34
Thujopsene isomer	10.96	1464	0.14	9.00*	1621	[0.34]
β -Chamigrene	11.02*	1469	0.67	9.19*	1636	[0.70]
Unknown [m/z 91, 105 (93), 161 (77), 93 (73), 119 (71), 133 (69)... 204 (31)]	11.02*	1469	[0.67]			
γ -Himachalene	11.04	1471	0.37	9.13	1632	0.39
Widdra-2,4(14)- diene?	11.08	1474	0.14	9.36*	1650	0.96
Unknown [m/z 189, 91 (95), 105 (93), 133 (84), 119 (75), 41 (59), 93 (46)... 204 (33)]	11.16	1479	0.22	9.46*	1659	0.94
ar-Curcumene	11.18	1481	0.15	10.22	1722	0.16
Valencene	11.31*	1491	1.01	9.51	1662	0.13
Pseudowiddrene	11.31*	1491	[1.01]	9.46*	1659	[0.94]
α -Chamigrene	11.34	1493	0.64	9.61*	1671	2.16
β -Himachalene	11.37*	1495	2.12	9.36*	1650	[0.96]
α -Cuprenene	11.37*	1495	[2.12]	9.61*	1671	[2.16]
Cuparene	11.42	1499	2.01	10.59*	1753	1.98
1,2- Dihydrocuparene	11.49	1504	0.20	9.86	1691	0.17
α -Alaskene	11.53	1508	0.71	9.61*	1671	[2.16]
α -Dehydro-ar- himachalene	11.56*	1510	0.17	11.07*	1795	[0.05]
1,4- Dihydrocuparene	11.56*	1510	[0.17]	10.07	1708	0.14
δ -Cadinene	11.69*	1520	0.52	9.99	1702	0.30
γ -Dehydro-ar- himachalene	11.69*	1520	[0.52]	11.52	1835	0.10
β - Sesquiphellandrene	11.69*	1520	[0.52]	10.17	1717	0.39
γ -Cuprenene	11.74	1524	0.04	10.20	1720	0.04

Unknown [m/z 91, 107 (97), 105 (93), 41 (92), 109 (78), 43 (78), 121 (76), 135 (75)... 220 (21)]	11.76	1526	0.43			
ar-Himachalene	11.81*	1530	0.18	11.20	1806	0.04
δ-Cuprenene epimer I	11.81*	1530	[0.18]	10.51	1746	0.11
Unknown [m/z 43, 95 (81), 207 (61), 41 (55), 55 (50)... 222 (3)]	11.86	1533	0.24	13.35	2004	0.22
δ-Cuprenene epimer II	11.90	1536	0.21	10.59*	1753	[1.98]
Unknown [m/z 91, 119 (98), 121 (91), 105 (85), 43 (82), 41 (76)... 205 (37), 220 (16)]	12.05	1549	0.03	12.92	1963	0.04
Caryophyllenyl alcohol	12.21	1562	0.19	13.21	1991	0.14
Caryophyllene oxide isomer	12.34*	1571	0.15	12.21	1897	0.01
Caryophyllene oxide	12.34*	1571	[0.15]	12.26	1902	0.03
allo-Cedrol	12.45	1580	0.58	13.78*	2046	23.14
α-Cedrol	12.66*†	1597	24.92	13.78*	2046	[23.14]
Widdrol	12.66*†	1597	[24.92]	14.11*	2079	2.16
epi-Cedrol	12.76	1605	0.48	14.28	2095	0.58
Unknown [m/z 138, 110 (77), 137 (75), 107 (62), 91 (61), 93 (60), 109 (57)... 220 (34)]	12.82	1609	0.39			
Unknown [m/z 107, 41 (86), 123 (85), 82 (79), 95 (77), 93 (76), 91 (73), 69 (71)... 220 (13)]	12.92	1618	0.17	14.11*	2079	[2.16]
α-Acorenol	12.98	1623	1.01	13.95	2063	0.91
β-Acorenol	13.04*	1628	0.78	14.35	2103	0.26
Unknown [m/z 132, 175 (22), 119 (18), 91 (18), 157 (18)... 219 (10)]	13.04*	1628	[0.78]	15.09	2178	0.09
Unknown [m/z 105, 93 (78), 95 (75), 131 (72), 119 (71), 132 (70), 91 (67), 120 (49)... 202 (39), 220 (9)]	13.06	1630	0.25	15.34	2204	0.07

Unknown [m/z 123, 81 (77), 95 (77), 107 (72), 41 (72), 93 (66), 55 (64)... 220? (13)]	13.16	1638	0.48			
Himachalol	13.18	1639	0.42	14.65	2133	0.37
Unknown [m/z 41, 91 (96), 79 (88), 69 (82), 123 (80), 93 (80)... 220 (8)]	13.21	1642	0.32	16.81	2363	0.43
Unknown [m/z 43, 81 (84), 41 (64), 67 (62), 95 (58), 79 (58)... 204 (48), 220 (2)]	13.27	1647	0.22	14.96	2165	0.17
Cedrenol analog	13.35	1653	0.42	15.88	2261	0.32
Cedr-8-en-13-ol	13.60	1674	0.20	16.40	2317	0.04
α -Bisabolol	13.68	1681	0.35	14.87	2156	0.27
α -Cedrenol	13.73	1685	0.16	16.50	2328	0.12
Unknown [m/z 91, 105 (87), 123 (74), 135 (70), 107 (60), 79 (59)... 220 (13)]	13.81†	1692	0.51			
Mayurone?	13.84†	1694	[0.51]	16.54	2333	0.07
Thujopsenal	13.88	1698	0.29	15.26	2195	0.22
Unknown [m/z 105, 69 (77), 91 (66), 119 (65), 111 (56), 107 (45), 55 (45)... 220? (2)]	13.93	1701	0.06	16.89	2372	0.04
Thujopsenal analog	14.26	1730	0.07	16.94	2377	0.02
Unknown [m/z 105, 91 (83), 79 (78), 135 (67), 107 (56), 67 (53)... 220 (9)]	14.36	1739	0.07			
Cedryl acetate	14.53	1754	0.10	14.13	2081	0.07
Unknown [m/z 91, 105 (74), 93 (67), 79 (59), 133 (54), 41 (47), 107 (46)...]	14.58	1758	0.05	17.80	2476	0.03
Unknown [m/z 121, 136 (47), 119 (27), 91 (27), 105 (22), 41 (21)... 220 (4)]	14.74	1772	0.03	17.87	2484	0.01
Unknown [m/z 189, 91 (48), 133 (40), 105 (40), 41 (34), 187 (34)... 220 (5)]	14.85	1782	0.02	18.02	2500	0.03
Unknown [m/z 148, 141 (99), 91 (74), 105 (52), 41 (42), 121 (42), 133 (37)... 218 (32)]	14.90	1786	0.09	19.18	2640	0.06

Unknown [m/z 121, 136 (53), 91 (22), 93 (19), 79 (15), 105 (13)... 220 (3)]	14.95	1791	0.08	17.98	2496	0.10
Nootkatone analog	15.20	1812	0.01	17.39	2428	0.01
Total identified		92.36%			90.21%	
Total reported		96.04%			91.50%	

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken into account in the consolidated total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index