

**Date :** May 24, 2019

**CERTIFICATE OF ANALYSIS – GC PROFILING**

**SAMPLE IDENTIFICATION**

**Internal code :** 19E14-PTH02-1-SCC

**Customer identification :** Magnolia Flower - China - MQ0101812R

**Type :** Essential oil

**Source :** *Michelia x alba*

**Customer :** Plant Therapy

**ANALYSIS**

**Method:** PC-PA-014-17J19 - Analysis of the composition of an essential oil, or other volatile liquid, by FAST GC-FID (in French); identifications validated by GC-MS.

**Analyst :** Sylvain Mercier, M. Sc., Chimiste

**Analysis date :** May 21, 2019

Checked and approved by :

---

Alexis St-Gelais, M. Sc., chimiste 2013-174

*Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.*

*This report is digitally signed, it is only considered valid if the digital signature is intact.*

#### PHYSICOCHEMICAL DATA

**Physical aspect:** Dark yellow liquid

**Refractive index:** 1.4680 ± 0.0003 (20 °C)

#### ISO 17382:2007 - OIL OF MAGNOLIA FLOWER, CHINA TYPE

Compound	Min. %	Max. %	Observed %	Complies?
Methyl (E)-isoeugenol	0.3	1.8	0.3	Yes
(E)-Nerolidol	0.2	0.6	0.4	Yes
Methyleugenol	1.2	4.4	2.8	Yes
Nerol	0.001	0.300	0.087	Yes
δ-Cadinene	0.3	2.5	0.7	Yes
β-Caryophyllene	1.2	7.0	5.0	Yes
β-Elemene	2.1	10.0	2.6	Yes
Linalool	50.0	72.0	66.0	Yes
α-Copaene	0.1	0.8	0.4	Yes
(Z)-β-Ocimene	0.9	2.4	2.2	Yes
(E)-β-Ocimene	1.1	3.4	2.7	Yes
1,8-Cineole	0.3	0.8	0.5	Yes
Methyl 2-methylbutyrate	0.7	6.3	2.7	Yes
<b>Refractive index</b>	1.4650	1.4900	1.4680	Yes

#### CONCLUSION

No adulterant, contaminant or diluent has been detected using this method. The oil complies with the ISO standard for magnolia flower oil.

## ANALYSIS SUMMARY

Identification	DB-5 (%)	DB-WAX (%)	Classe
Ethanol	0.03	0.03	Aliphatic alcohol
3-Buten-2-one	tr	tr	Aliphatic ketone
Methyl propionate	0.02	0.02	Aliphatic ester
1,3-Cyclohexadiene	tr		Alkene
Isovaleral	0.01	0.01	Aliphatic aldehyde
2-Methylbutyral	0.03	0.02	Aliphatic aldehyde
Methyl isobutyrate	tr	tr	Aliphatic ester
2-Methylbutanenitrile	tr		Aliphatic nitrile
Methyl butyrate	0.05	0.05	Aliphatic ester
Isoamyl alcohol	0.02	0.01	Aliphatic alcohol
2-Methylbutanol	0.02	0.02	Aliphatic alcohol
Methyl 2-methylbutyrate	2.68	2.63	Aliphatic ester
Ethyl 2-methylbutyrate	0.10	0.10	Aliphatic ester
(3Z)-Hexenol	0.01	0.01	Aliphatic alcohol
Hexanol	0.25*	0.02	Aliphatic alcohol
Isovaleric acid	[0.25]*	0.19*	Aliphatic acid
2-Methylbutyric acid	0.30*	1.42*	Aliphatic acid
2-Heptanone	[0.30]*	tr	Aliphatic ketone
Methyl hexanoate	0.02*	0.01	Aliphatic ester
$\alpha$ -Thujene	[0.02]*	0.01	Monoterpene
$\alpha$ -Pinene	0.15	0.14	Monoterpene
Camphene	0.05	0.04	Monoterpene
$\beta$ -Pinene	0.32*	0.27	Monoterpene
Sabinene	[0.32]*	0.03	Monoterpene
Myrcene	0.11	0.10	Monoterpene
$\alpha$ -Phellandrene	0.04*	0.04	Monoterpene
<i>cis</i> -Dehydroxylinalool oxide	[0.04]*	[2.13]	Monoterpenic ether
Caproic acid	0.03		Aliphatic acid
$\alpha$ -Terpinene	0.02	0.01	Monoterpene
para-Cymene	0.02	0.02	Monoterpene
1,8-Cineole	0.78*	0.46	Monoterpenic ether
Limonene	[0.78]*	0.29	Monoterpene
(Z)- $\beta$ -Ocimene	2.18	2.13*	Monoterpene
(E)- $\beta$ -Ocimene	2.71	2.62	Monoterpene
$\gamma$ -Terpinene	0.03	[2.13]*	Monoterpene
<i>cis</i> -Sabinene hydrate	0.01	0.25*	Monoterpenic alcohol
<i>cis</i> -Linalool oxide (fur.)	0.20	0.20	Monoterpenic alcohol
<i>trans</i> -Linalool oxide (fur.)	0.27*	[0.25]*	Monoterpenic alcohol
Terpinolene	[0.27]*	0.04	Monoterpene
Methyl benzoate	0.02	0.02	Phenolic ester
Rosefuran	0.01	0.02	Monoterpenic ether
Hotrienol	66.17*	0.07	Monoterpenic alcohol
Linalool	[66.17]*	66.00	Monoterpenic alcohol
endo-Fenchol	[66.17]*	0.04	Monoterpenic alcohol
Phenylethyl alcohol	0.38	0.41*	Simple phenolic
Methyl octanoate	0.01	0.01	Aliphatic ester
allo-Ocimene	0.07	0.06	Monoterpene
Linalyl methyl ether?	0.02		Monoterpenic ether

neo-allo-Ocimene	0.02*	tr	Monoterpene
Camphor	[0.02]*	0.02	Monoterpenic ketone
Camphene hydrate	0.02	7.58*	Monoterpenic alcohol
Nerol oxide	0.01	0.02	Aliphatic ether
Borneol	0.06	[1.42]*	Monoterpenic alcohol
Terpinen-4-ol	0.06	0.04	Monoterpenic alcohol
$\alpha$ -Terpineol	0.46	[1.42]*	Monoterpenic alcohol
Methylchavicol	0.06	0.05	Phenylpropanoid
(3E,5E)-2,6-Dimethylocta-3,5,7-trien-2-ol	0.03	0.04	Monoterpenic alcohol
Nerol	0.09	0.11	Monoterpenic alcohol
Geraniol	0.31*	0.36	Monoterpenic alcohol
<i>trans</i> -Linalool oxide acetate (pyr.)	[0.31]*	0.05	Monoterpenic ester
Undec-(5Z)-en-2-one	0.02	0.02	Aliphatic ketone
Safrole	0.03	[0.36]	Phenylpropanoid
Indole	0.05	0.05	Indole
1-Nitro-2-phenylethane	0.01	0.02	Simple phenolic
$\delta$ -Elemene	0.03	0.03	Sesquiterpene
$\alpha$ -Cubebene	0.10	0.09	Sesquiterpene
$\alpha$ -Copaene	0.35	0.35	Sesquiterpene
<i>cis</i> - $\beta$ -Elemene	0.10	0.08	Sesquiterpene
$\beta$ -Cubebene	0.08	0.09	Sesquiterpene
$\beta$ -Elemene	2.59	[7.58]*	Sesquiterpene
Methyleugenol	2.79	2.79	Phenylpropanoid
<i>cis</i> - $\alpha$ -Bergamotene	5.07*	0.10	Sesquiterpene
$\beta$ -Caryophyllene	[5.07]*	[7.58]*	Sesquiterpene
$\beta$ -Copaene	0.14	0.10	Sesquiterpene
<i>trans</i> - $\alpha$ -Bergamotene	0.16	[7.58]*	Sesquiterpene
Phenylethyl butyrate?	0.02		Phenolic ester
$\alpha$ -Humulene	0.83	0.79	Sesquiterpene
allo-Aromadendrene	0.01	0.01	Sesquiterpene
(E)- $\beta$ -Farnesene	0.05	0.03	Sesquiterpene
Selina-4,11-diene	0.17	0.13	Sesquiterpene
$\gamma$ -Murolene	0.08	[0.19]*	Sesquiterpene
Germacrene D	0.71	[1.42]*	Sesquiterpene
$\beta$ -Selinene	0.73	0.76	Sesquiterpene
Phenylethyl isovalerate	0.14		Phenolic ester
$\alpha$ -Selinene	0.65	0.72	Sesquiterpene
Methyl (E)-isoeugenol	0.29	0.26	Phenylpropanoid
Germacrene A	0.76*	0.72*	Sesquiterpene
$\alpha$ -Murolene	[0.76]*	0.17	Sesquiterpene
$\beta$ -Bisabolene	0.42	0.24	Sesquiterpene
$\gamma$ -Cadinene	[0.42]*	[0.72]*	Sesquiterpene
Cubebol	[0.42]*	0.03	Sesquiterpenic alcohol
(3E,6E)- $\alpha$ -Farnesene	[0.42]*	0.16	Sesquiterpene
Unknown	0.02		Sesquiterpene
$\delta$ -Cadinene	0.85*	0.75	Sesquiterpene
Zonarene	[0.85]*	[0.72]*	Sesquiterpene
<i>trans</i> -Cadina-1,4-diene	0.06	0.06	Sesquiterpene
$\alpha$ -Cadinene	0.01	0.01	Sesquiterpene
$\alpha$ -Calacorene	0.04	[0.41]*	Sesquiterpene
Isocaryophyllene epoxide B	0.04	[0.41]*	Sesquiterpenic ether

$\alpha$ -Elemol	0.03	0.04	Sesquiterpenic alcohol
Elemicin	0.02	0.02	Phenylpropanoid
( <i>E</i> )-Nerolidol	0.40	0.46*	Sesquiterpenic alcohol
Caryophyllene oxide isomer	0.43*	0.02	Sesquiterpenic ether
Caryophyllene oxide	[0.43]*	0.45	Sesquiterpenic ether
Humulene epoxide II	0.10	0.06	Sesquiterpenic ether
Unknown	0.08*	0.07	Oxygenated sesquiterpene
Junenol	[0.08]*	0.02	Sesquiterpenic alcohol
1- <i>epi</i> -Cubenol	0.08	[0.46]*	Sesquiterpenic alcohol
$\tau$ -Cadinol	0.40*	0.18	Sesquiterpenic alcohol
$\tau$ -Muurolol	[0.40]*	0.18	Sesquiterpenic alcohol
$\alpha$ -Muurolol	0.05	0.05	Sesquiterpenic alcohol
Selin-11-en-4 $\alpha$ -ol	0.21	0.19*	Sesquiterpenic alcohol
$\alpha$ -Cadinol	0.07	0.07	Sesquiterpenic alcohol
(3 <i>Z</i> )-Caryophylla-3,8(13)-dien-5 $\beta$ -ol	0.12	0.13	Sesquiterpenic alcohol
Unknown	0.02	0.02	Aliphatic ester
Unknown	0.10	0.10	Aliphatic ester
Nonadecane	0.02	0.04	Alkane
Methyl palmitate	0.02	[0.19]*	Aliphatic ester
Methyl linoleate	0.14	0.15	Aliphatic ester
Methyl $\alpha$ -linolenate	0.08	0.08	Aliphatic ester
<b>Total identified</b>	<b>97.91%</b>	<b>96.81%</b>	


\*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

This page was intentionally left blank. The following pages present the complete data of the analysis.







FULL ANALYSIS DATA

Identification	Column DB-5			Column DB-WAX		
	R.T	R.I	%	R.T	R.I	%
Ethanol	0.35	518	0.03	0.90	906	0.03
3-Buten-2-one	0.48	576	tr	0.92	910	tr
Methyl propionate	0.55	620	0.02	0.76	873	0.02
1,3-Cyclohexadiene	0.57	629	tr			
Isovaleral	0.60	641	0.01	0.80	887	0.01
2-Methylbutyral	0.63	652	0.03	0.78	880	0.02
Methyl isobutyrate	0.72	684	tr	0.84	897	tr
2-Methylbutanenitrile	0.87	721	tr			
Methyl butyrate	0.88	723	0.05	1.18	950	0.05
Isoamyl alcohol	0.97	734	0.02	3.61	1179	0.01
2-Methylbutanol	0.98	737	0.02	3.57	1176	0.02
Methyl 2-methylbutyrate	1.27	776	2.68	1.36	978	2.63
Ethyl 2-methylbutyrate	2.02	849	0.10	1.75	1022	0.10
(3Z)-Hexenol	2.10	856	0.01	5.95	1346	0.01
Hexanol	2.29*	871	0.25	5.58	1320	0.02
Isovaleric acid	2.29*	871	[0.25]	9.77*	1634	0.19
2-Methylbutyric acid	2.45*	885	0.30	9.97*†	1650	1.42
2-Heptanone	2.45*	885	[0.30]	3.14	1143	tr
Methyl hexanoate	3.02*	926	0.02	3.25	1151	0.01
α-Thujene	3.02*	926	[0.02]	1.51	999	0.01
α-Pinene	3.08	930	0.15	1.44	991	0.14
Camphene	3.28	942	0.05	1.79	1026	0.04
β-Pinene	3.70*	970	0.32	2.20	1066	0.27
Sabinene	3.70*	970	[0.32]	2.39	1084	0.03
Myrcene	4.02	992	0.11	3.00	1132	0.10
α-Phellandrene	4.14*	1000	0.04	2.95	1128	0.04
cis-Dehydroxylinalool oxide	4.14*	1000	[0.04]	3.96†	1204	[2.13]
Caproic acid	4.34	1012	0.03			
α-Terpinene	4.36	1013	0.02	3.09	1139	0.01
para-Cymene	4.47	1020	0.02	4.25	1226	0.02
1,8-Cineole	4.55*†	1026	0.78	3.43	1165	0.46
Limonene	4.55*†	1026	[0.78]	3.32	1156	0.29
(Z)-β-Ocimene	4.77	1040	2.18	3.93*†	1203	2.13
(E)-β-Ocimene	4.93	1050	2.71	4.14	1218	2.62
γ-Terpinene	5.03	1056	0.03	3.93*†	1203	[2.13]
cis-Sabinene hydrate	5.15	1064	0.01	7.07*	1428	0.25
cis-Linalool oxide (fur.)	5.25	1070	0.20	6.70	1400	0.20
trans-Linalool oxide (fur.)	5.50*	1086	0.27	7.07*	1428	[0.25]
Terpinolene	5.50*	1086	[0.27]	4.44	1239	0.04

Methyl benzoate	5.55	1089	0.02	8.82	1559	0.02
Rosefuran	5.68	1097	0.01	6.17	1362	0.02
Hotrienol	5.86*	1109	66.17	8.99	1572	0.07
Linalool	5.86*	1109	[66.17]	8.31	1520	66.00
endo-Fenchol	5.86*	1109	[66.17]	8.59	1542	0.04
Phenylethyl alcohol	5.91	1112	0.38	12.33*	1850	0.41
Methyl octanoate	6.08	1124	0.01	6.02	1352	0.01
allo-Ocimene	6.20	1131	0.07	5.74	1332	0.06
Linalyl methyl ether?	6.27	1136	0.02			
neo-allo-Ocimene	6.30*	1138	0.02	6.05	1354	tr
Camphor	6.30*	1138	[0.02]	7.38	1451	0.02
Camphene hydrate	6.38	1143	0.02	8.65*	1546	7.58
Nerol oxide	6.57	1155	0.01	7.03	1424	0.02
Borneol	6.68	1162	0.06	9.97*†	1650	[1.42]
Terpinen-4-ol	6.86	1175	0.06	8.76	1554	0.04
α-Terpineol	7.08	1189	0.46	9.97*†	1650	[1.42]
Methylchavicol	7.20	1196	0.06	9.51	1613	0.05
(3E,5E)-2,6-Dimethylocta-3,5,7-trien-2-ol	7.42	1211	0.03	11.54	1781	0.04
Nerol	7.70	1231	0.09	11.25	1756	0.11
Geraniol	8.12*	1260	0.31	11.82†	1805	0.36
trans-Linalool oxide acetate (pyr.)	8.12*	1260	[0.31]	9.43	1607	0.05
Undec-(5Z)-en-2-one	8.36	1277	0.02	9.06	1577	0.02
Safrole	8.44	1282	0.03	11.85†	1808	[0.36]
Indole	8.51	1288	0.05	17.46	2351	0.05
1-Nitro-2-phenylethane	8.55	1290	0.01	14.39	2038	0.02
δ-Elemene	9.30	1337	0.03	7.13	1432	0.03
α-Cubebene	9.47	1349	0.10	6.95	1419	0.09
α-Copaene	9.82	1373	0.35	7.32	1446	0.35
cis-β-Elemene	9.96	1384	0.10	8.46	1532	0.08
β-Cubebene	10.03	1388	0.08	7.96	1493	0.09
β-Elemene	10.07	1391	2.59	8.65*	1546	[7.58]
Methyleugenol	10.26	1405	2.79	13.53	1958	2.79
cis-α-Bergamotene	10.40*	1416	5.07	8.37	1525	0.10
β-Caryophyllene	10.40*	1416	[5.07]	8.65*	1546	[7.58]
β-Copaene	10.54	1426	0.14	8.52	1536	0.10
trans-α-Bergamotene	10.68	1436	0.16	8.65*	1546	[7.58]
Phenylethyl butyrate?	10.74	1441	0.02			
α-Humulene	10.85	1449	0.83	9.48	1610	0.79
allo-Aromadendrene	10.95	1456	0.01	9.19	1588	0.01
(E)-β-Farnesene	11.00	1460	0.05	9.73	1631	0.03
Selina-4,11-diene	11.17	1473	0.17	9.61	1622	0.13
γ-Murolene	11.19	1475	0.08	9.77*	1634	[0.19]
Germacrene D	11.22	1477	0.71	9.97*†	1650	[1.42]

β-Selinene	11.28	1482	0.73	10.06	1658	0.76
Phenylethyl isovalerate	11.32	1484	0.14			
α-Selinene	11.41	1491	0.65	10.13	1663	0.72
Methyl (E)- isoeugenol	11.48	1496	0.29	15.22	2120	0.26
Germacrene A	11.53*	1500	0.76	10.57*	1699	0.72
α-Muurolene	11.53*	1500	[0.76]	10.23	1671	0.17
β-Bisabolene	11.66†	1510	0.42	10.34	1680	0.24
γ-Cadinene	11.68*†	1511	[0.42]	10.57*	1699	[0.72]
Cubebol	11.68*†	1511	[0.42]	12.79	1890	0.03
(3E,6E)-α-Farnesene	11.68*†	1511	[0.42]	10.70	1710	0.16
Unknown [m/z 161, 81 (93), 105 (66), 93 (60), 119 (60), 204 (54)...]	11.73	1516	0.02			
δ-Cadinene	11.81*	1522	0.85	10.62	1703	0.75
Zonarene	11.81*	1522	[0.85]	10.57*	1699	[0.72]
trans-Cadina-1,4- diene	11.91	1529	0.06	10.86	1723	0.06
α-Cadinene	11.98	1535	0.01	10.98	1733	0.01
α-Calacorene	12.01	1538	0.04	12.33*	1850	[0.41]
Isocaryophyllene epoxide B	12.09	1544	0.04	12.33*	1850	[0.41]
α-Elemol	12.12	1546	0.03	14.24	2024	0.04
Elemicin	12.26	1558	0.02	15.80	2177	0.02
(E)-Nerolidol	12.36	1566	0.40	13.98*	2000	0.46
Caryophyllene oxide isomer	12.50*	1576	0.43	12.92	1902	0.02
Caryophyllene oxide	12.50*	1576	[0.43]	12.97	1906	0.45
Humulene epoxide II	12.82	1602	0.10	13.56	1961	0.06
Unknown [m/z 43, 81 (97), 135 (71), 95 (62), 204 (61), 71 (59), 207 (56)... 222 (3)]	12.89*	1607	0.08	14.72	2070	0.07
Junenol	12.89*	1607	[0.08]	13.81	1984	0.02
1-epi-Cubenol	13.09	1624	0.08	13.98*	2000	[0.46]
τ-Cadinol	13.27*	1638	0.40	15.09	2106	0.18
τ-Muurolol	13.27*	1638	[0.40]	15.26	2123	0.18
α-Muurolol	13.32	1642	0.05	15.40	2137	0.05
Selin-11-en-4α-ol	13.38	1648	0.21	15.83*	2180	0.19
α-Cadinol	13.41	1650	0.07	15.68	2166	0.07
(3Z)-Caryophylla- 3,8(13)-dien-5β-ol	13.62	1667	0.12	17.06	2308	0.13
Unknown [m/z 43, 67 (85), 81 (70), 79 (53), 95 (46), 55 (39), 41 (37)...]	15.83	1860	0.02	16.36	2234	0.02
Unknown [m/z 79,	15.93	1868	0.10	16.46	2245	0.10

43 (84), 67 (55), 93 (50), 95 (41), 80 (35)...						
Nonadecane	16.36	1908	0.02	12.74	1885	0.04
Methyl palmitate	16.61	1932	0.02	15.83*	2180	[0.19]
Methyl linoleate	18.30	2096	0.14	18.29	2442	0.15
Methyl $\alpha$ -linolenate	18.35	2101	0.08	18.85	2505	0.08
<b>Total identified</b>		<b>97.91%</b>			<b>96.81%</b>	
<b>Total reported</b>		<b>98.06%</b>			<b>97.00%</b>	

\*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index