



PLANT THERAPY
100% PURE ESSENTIAL OILS

GC/MS BATCH NUMBER: R20102

ESSENTIAL OIL: ROSALINA
BOTANICAL NAME: MELALEUCA ERICFOLIA
ORIGIN: AUSTRALIA

KEY CONSTITUENTS PRESENT IN THIS BATCH OF ROSALINA OIL	%
Linalool	47.43
Limonene	20.41
1,8-Cineole	13.00
α -Pinene	11.74
Terpinen-4-ol	4.87
γ -Terpinene	2.83

Comments from Robert Tisserand: Clean, eucalyptus-floral odor quality. Constituents are in expected amounts.

Date : December 14, 2016

SAMPLE IDENTIFICATION

Internal code : 16L01-PTH6-1-DM

Customer identification : Rosalina - R2010269R

Type : Essential oil

Source : *Melaleuca ericifolia*

Customer : Plant Therapy

ANALYSIS

Method : PC-PA-001-15E06, "Analysis of the composition of a liquid essential oil by GC-FID" (in French).

Analyst : Sylvain Mercier, M. Sc., chimiste

Analysis date : 2016-12-13

Checked and approved by :

Sylvain Mercier, M. Sc., chimiste 2014-005

Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.

This report is digitally signed, it is only considered valid if the digital signature is intact.

IDENTIFIED COMPOUNDS

Identification	Column: BP5			Column: WAX			Molecular Class
	R.T.	R.I.	%	%	R.I.	R.T.	
Tricyclene	3.19	914	0.03	0.02	932	0.81	Monoterpene
α -Thujene	3.27	919	0.08	11.78	955	0.90*	Monoterpene
α -Pinene	3.40	927	11.74	[11.78]	955	0.90*	Monoterpene
Camphene	3.67*	943	0.19	0.24	1003	1.10	Monoterpene
α -Fenchene	3.67*	943	[0.19]	0.04	991	1.05	Monoterpene
β -Pinene	4.16	973	0.34	0.31	1042	1.39	Monoterpene
Myrcene	4.44	990	0.19	0.21	1116	2.00	Monoterpene
α -Phellandrene	4.71	1006	0.16	0.10	1112	1.95	Monoterpene
α -Terpinene	4.91	1017	0.89	0.86	1126	2.11	Monoterpene
Limonene	5.19*	1032	16.58	20.41	1148	2.37	Monoterpene
para-Cymene	5.19*	1032	[16.58]	0.86	1207	3.05*	Monoterpene
1,8-Cineole	5.23	1035	13.00	8.65	1151	2.41	Monoterp. ether
<i>cis</i> - β -Ocimene	5.32	1040	0.05	2.73	1192	2.88*	Monoterpene
<i>trans</i> - β -Ocimene	5.50	1049	0.02	[0.86]	1207	3.05*	Monoterpene
γ -Terpinene	5.70	1060	2.83	[2.73]	1192	2.88*	Monoterpene
<i>cis</i> -Linalool oxide (fur.)	5.98	1075	0.01	0.01	1371	5.33	Monoterp. alcohol
Terpinolene	6.16	1085	0.37	0.36	1226	3.30	Monoterpene
<i>trans</i> -Linalool oxide (fur.)	6.30	1093	0.01	0.01	1398	5.73	Monoterp. alcohol
para-Cymenene	6.39	1097	0.01	0.01	1365	5.25	Monoterpene
Linalool	6.89	1116	47.43	47.71	1493	7.42	Monoterp. alcohol
<i>cis</i> -para-Menth-2-en-1-ol	7.16	1126	0.04	0.23	1497	7.50	Monoterp. alcohol
Plinol isomer	7.39	1134	0.05	4.73	1527	8.12*	Monoterp. alcohol
Terpinen-4-ol	8.85	1189	4.87	[4.73]	1527	8.12*	Monoterp. alcohol
α -Terpineol	9.49	1206	0.37	0.34	1619	10.87	Monoterp. alcohol
α -Gurjunene	19.49	1387	0.03	0.02	1447	6.54	Sesquiterpene
β -Caryophyllene	20.43	1400	0.03	0.05	1515	7.84	Sesquiterpene
Aromadendrene	21.81	1417	0.07	[4.73]	1527	8.12*	Sesquiterpene
allo-Aromadendrene	23.46	1437	0.04	0.07	1548	8.76	Sesquiterpene
<i>trans</i> -Cadin-1(6),4-diene	24.88	1454	0.02	0.03	1576	9.59	Sesquiterpene
Viridiflorene	26.68	1475	0.06	0.05	1631	11.31	Sesquiterpene
δ -Cadinene	29.18	1507	0.10	0.07	1687	13.73	Sesquiterpene
Globulol	34.33	1577	0.03				Sesquiterp. alcohol
Viridiflorol	34.83	1584	0.02				Sesquiterp. alcohol
Total identified			99.66%	99.90%			

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

Note: no correction factor was applied

OTHER DATA

Physical aspect : Clear liquid

Refractive index : 1.4635 ± 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent were detected using this method.



