



PLANT THERAPY
100% PURE ESSENTIAL OILS

GC/MS BATCH NUMBER: R40104

ESSENTIAL OIL: ROSEMARY
BOTANICAL NAME: ROSMARINUS OFFIICINALIS
ORIGIN: TUNISIA

KEY CONSTITUENTS PRESENT IN THIS BATCH OF ROSEMARY OIL	%
β-PHELLANDRENE	47.8
α-PINENE	12.1
CAMPHOR	10.4
β-PINENE	5.0
β-CARYOPHYLLENE	4.6
CAMPHENE	3.8
BORNEOL	3.0
α-TERPINEOL	2.4
MYRCENE	1.4
p-CYMENE	1.4

Comments from Robert Tisserand: Excellent fresh, metallic, green odor profile. Twelves of thirteen key ISO constituents are within range, with limonene slightly low - not a concern.

Date : March 10, 2017

SAMPLE IDENTIFICATION

Internal code : 17B23-PTH1-1-DM

Customer identification : Rosemary - Tunisia - R40104510R

Type : Essential oil

Source : *Rosmarinus officinalis*

Customer : Plant Therapy

ANALYSIS

Method : PC-PA-001-15E06, "Analysis of the composition of a liquid essential oil by GC-FID" (in French).

Identifications double-checked by GC-MS

Analyst : Alexis St-Gelais, M. Sc., chimiste

Analysis date : 2017-02-23

Checked and approved by :

Alexis St-Gelais, M. Sc., chimiste 2013-174

Note: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia.

This report is digitally signed, it is only considered valid if the digital signature is intact.

IDENTIFIED COMPOUNDS

Identification	Column: BP5			Column: WAX			Molecular Class
	R.T.	R.I.	%	%	R.I.	R.T.	
<i>cis</i> -Hex-3-en-1-ol	2.46	864	0.02	0.01	1331	5.62	Aliphatic alcohol
Tricyclene	3.21	916	0.15	0.13	927	1.09	Monoterpene
α -Thujene	3.30	922	0.18	0.26	965	1.25	Monoterpene
α -Pinene	3.42	929	12.06	11.76	958	1.22	Monoterpene
Camphene	3.69*	945	4.00	3.82	1003	1.50	Monoterpene
α -Fenchene	3.69*	945	[4.00]	0.09	995	1.44	Monoterpene
Thuja-2,4(10)-diene	3.77	950	0.02	0.07	1062	2.03*	Monoterpene
Sabinene	4.11	970	0.05	[0.07]	1062	2.03*	Monoterpene
β -Pinene	4.18	974	4.97	4.84	1045	1.88	Monoterpene
Myrcene	4.45	990	1.41	1.36	1120	2.62	Monoterpene
Octan-3-one	4.48	992	0.10	0.05	1204	3.73	Aliphatic ketone
Octen-3-ol	4.50	993	0.09	0.15	1406	6.82	Aliphatic alcohol
α -Phellandrene	4.72*	1006	0.34	0.19	1113	2.53	Monoterpene
Δ^3 -Carene	4.72*	1006	[0.34]	0.15	1098	2.34	Monoterpene
α -Terpinene	4.91	1016	0.51	0.49	1127	2.71	Monoterpene
para-Cymene	5.10†	1027	48.87	1.35	1214	3.87	Monoterpene
Limonene	5.13†	1028	[48.87]	0.94	1148	2.98	Monoterpene
β -Phellandrene	5.17†	1030	[48.87]	47.49	1159	3.14*	Monoterpene
1,8-Cineole	5.28	1036	[48.87]	[47.49]	1159	3.14*	Monoterp. ether
<i>cis</i> - β -Ocimene	5.32	1039	0.09	0.03	1192	3.56	Monoterpene
<i>trans</i> - β -Ocimene	5.49	1048	0.03	0.03	1206	3.76	Monoterpene
γ -Terpinene	5.68	1058	0.78	0.77	1194	3.59	Monoterpene
<i>cis</i> -Sabinene hydrate	5.98	1075	0.06	0.05	1412	6.98	Monoterp. alcohol
Terpinolene	6.15	1084	0.36	0.34	1228	4.07	Monoterpene
para-Cymenene	6.33	1094	0.05	0.04	1372	6.27	Monoterpene
Linalool	6.59*	1105	0.78	0.76	1502	9.13	Monoterp. alcohol
<i>trans</i> -Sabinene hydrate	6.59*	1105	[0.78]	0.03	1487	8.77	Monoterp. alcohol
endo-Fenchol	7.01	1121	0.06	4.74	1524	9.88*	Monoterp. alcohol
<i>trans</i> -Pinocarveol	7.51	1139	0.04	0.03	1575	11.75	Monoterp. alcohol
Camphor	7.73	1147	10.35	10.74	1431	7.44*	Monoterp. ketone
Camphene hydrate	7.88	1153	0.03	0.03	1531	10.14	Monoterp. alcohol
Borneol	8.46*	1174	3.47	3.01	1625	13.88	Monoterp. alcohol
δ -Terpineol	8.46*	1174	[3.47]	0.46	1606	12.92*	Monoterp. alcohol
Terpinen-4-ol	8.65	1181	0.71	0.69	1533	10.21	Monoterp. alcohol
para-Cymen-8-ol	9.09	1197	0.05	0.03	1774	22.53	Monoterp. alcohol
α -Terpineol	9.27	1202	2.35	2.31	1631	14.14	Monoterp. alcohol
Verbenone	9.70	1212	0.01	[0.46]	1606	12.92*	Monoterp. ketone
Bornyl acetate	12.78	1280	0.50	0.50	1510	9.38	Monoterp. ester
α -Copaene	17.48	1358	0.27	[10.74]	1431	7.44*	Sesquiterpene
β -Caryophyllene	20.41	1402	4.63	[4.74]	1524	9.88*	Sesquiterpene
α -Humulene	23.06	1434	0.55	0.57	1584	12.11	Sesquiterpene

<i>trans</i> - β -Farnesene	24.26	1448	0.03	0.03	1619	13.54	Sesquiterpene
γ -Muuroolene	25.08	1458	0.23	0.24	1614	13.27	Sesquiterpene
α -Selinene	26.47	1474	0.05	0.08	1635	14.37	Sesquiterpene
α -Muuroolene	27.22	1484	0.06	0.07	1647	15.01	Sesquiterpene
γ -Cadinene	28.23	1496	0.13	0.14	1671	16.21	Sesquiterpene
β -Bisabolene	28.48	1499	0.08	0.08	1659	15.66	Sesquiterpene
δ -Cadinene	28.91	1505	0.33	0.31	1677	16.54	Sesquiterpene
<i>trans</i> -Calamenene	29.21	1509	0.03	0.03	1737	20.09	Sesquiterpene
<i>trans</i> -Cadina-1,4-diene	30.00	1520	0.03	0.02	1693	17.44	Sesquiterpene
Caryophyllene oxide	33.44	1568	0.13	0.12	1854	27.97	Sesquiterp. ether
Total identified			99.04%	99.43%			

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken account in the identified total

†: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

Note: no correction factor was applied

OTHER DATA

Physical aspect : Clear liquid

Refractive index : 1.4655 \pm 0.0003 (20 °C)

CONCLUSION

No adulterant, contaminant or diluent were detected using this method.

